


HORTUM SOKETLERİ R1-A VE R2-AT HORTUMLAR İÇİN

Sockets for hoses R1 and R2-AT DIN 20022

HT- 101



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	SİZE	DN	ÇAP D1	ÇAP D2	L1
HT-101-3-18	3/16"	5	17	12,5	26
HT-101-4-20	1/4"	6	20	15,3	28
HT-101-5-22	5/16"	8	22	17	29
HT-101-6-25	3/8"	10	25	20	32
HT-101-8-28	1/2"	12	28	22,5	35
HT-101-10-32	5/8"	16	32	25,7	40
HT-101-12-38	3/4"	20	38	30	42
HT-101-16-45	1"	25	45	38	50
HT-101-20-56	1"1/4	32	54	46	78
HT-101-24-65	1"1/2	40	62	53	78
HT-101-32-76	2"	50	76	66,3	78
HT-101-40-85	2"1/2	63	90	80	80
HT-101-48-85	3"	76	103	92,5	85



R2 - AT

HORTUM SOKETLERİ R2-AT HORTUMLARI İÇİN

Sockets for hoses R2-AT DIN 20022

HT- 102



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	SİZE	DN	ÇAP D1	ÇAP D2	L1
HT-102-4-20	1/4"	6	20	14	32
HT-102-5-22	5/16"	8	22	15,5	32
HT-102-6-25	3/8"	10	25	18	35
HT-102-8-28	1/2"	12	28	21	39
HT-102-10-32	5/8"	16	32	24,5	45
HT-102-12-38	3/4"	20	38	29,5	50
HT-102-16-45	1"	25	45	36	60
HT-102-20-56	1"1/4	32	58	47	78
HT-102-24-65	1"1/2	40	65	53,5	78
HT-102-32-76	2"	50	76	64,5	78
HT-102-40-85	2"1/2	63	90	80,8	80
HT-102-48-85	3"	76	103	92,5	85



4 - SH

HORTUM SOKETLERİ 4-SH HORTUMLARI İÇİN

Sockets for hoses 4-SH

HT- 103



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	SİZE	DN	ÇAP D1	ÇAP D2	L1
HT-103-20-55	1"1/4	32	55	44	78
HT-103-24-62	1"1/2	40	62	51	78
HT-103-32-76	2"	50	75,6	64,5	78



4 - SP

HORTUM SOKETLERİ 4-SP HORTUMLARI İÇİN

Sockets for hoses 4-SP

HT- 104



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	SİZE	DN	ÇAP D1	ÇAP D2	L1
HT-104-20-58	1"1/4	32	58	47	78
HT-104-24-65	1"1/2	40	65	54	78
HT-104-32-76	2"	50	75	70,5	78



6 - SP

HORTUM SOKETLERİ R13 6-SP HORTUMLARI İÇİN

Sockets for hoses R13 6-SP

HT- 105



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	SİZE	DN	ÇAP D1	ÇAP D2	L1
HT-104-20-58	1"1/4	32	57	47	78
HT-104-24-65	1"1/2	40	65	54	78
HT-104-32-76	2"	50	76	64	78



TEFLON SOKET

Sockets for hoses

HT- 106



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.	BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	SİZE	DN	ÇAP D	L1
HT-106-3	3/16"	5	9	27
HT-106-4	1/4"	6	10,5	30
HT-106-5	5/16"	8	12,5	30
HT-106-6	3/8"	10	15	32
HT-106-8	1/2"	12	19,7	34
HT-106-10	5/8"	16	21	35
HT-106-12	3/4"	20	25,6	40
HT-106-16	1"	25	32	50



METRİK 24 TİP L

METRİK DÖNER SOMUNLU HORTUM RAKORLARI

Metrik swivel hose unions

HT- 110



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN		D	L 1	D 1	1	O-RİNG
HT-110-3-6	3/16"	5	M12X1.5	6L	22,5	3.0	14	4X1,5
HT-110-3-8	3/16"	5	M14X1.5	8L	22,5	3.0	17	6X1.5
HT-110-4-6	1/4"	6	M12X1.5	6L	22,5	4.0	17	4X1.5
HT-110-4-8	1/4"	6	M14X1.5	8L	22,5	4.0	17	6X1.5
HT-110-4-10	1/4"	6	M16X1.5	10L	22,5	4.0	19	7.5X1.5
HT-110-5-8	5/16"	8	M14X1.5	8L	22,5	5.0	19	6X1.5
HT-110-5-10	5/16"	8	M16X1.5	10L	22,5	5.0	19	7.5X1.5
HT-110-5-12	5/16"	8	M18X1.5	12L	22,5	5.0	22	9X1.5
HT-110-6-10	3/8"	10	M16X1.5	10L	23,5	6,5	22	7.5X1.5
HT-110-6-12	3/8"	10	M18X1.5	12L	25,5	6,5	22	9X1.5
HT-110-6-15	3/8"	10	M22X1.5	15L	29	6,5	27	12X2
HT-110-8-15	1/2"	12	M22X1.5	15L	30	9.0	27	12X2
HT-110-10-18	5/8"	16	M26X1.5	18L	30,5	11,5	32	15X2
HT-110-12-22	3/4"	20	M30X2	22L	32	14,5	36	18X2
HT-110-16-28	1"	25	M36X2	28L	35	19.0	41	25X2
HT-110-16-35	1"	25	M45X2	35L	36	19.0	50	30X2.5
HT-110-20-35	1"1/4	32	M45X2	35L	37	24,5	50	33X2.5
HT-110-20-42	1"1/4	32	M52X2	42L	42	24,5	60	33X2.5
HT-110-24-42	1"1/2	40	M52X2	42L	39	29,5	60	33X2.5



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

METRİK 24 TİP L

METRİK DÖNER SOMUNLU HORTUM RAKORLARI 45°

Metrik 45° hose fittings with rotating nut

HT- 111



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm					
ID NO	SİZE	DN		D	L 1	H	D 1	1	O-RİNG
HT-111-3-6	3/16"	5	M12X1.5	6L	32	14	3.0	14	4X1,5
HT-111-3-8	3/16"	5	M14X1.5	8L	32	14	3.0	17	6X1.5
HT-111-4-6	1/4"	6	M12X1.5	6L	34	16	4.0	17	4X1.5
HT-111-4-8	1/4"	6	M14X1.5	8L	35	16	4.0	17	6X1.5
HT-111-4-10	1/4"	6	M16X1.5	10L	35	19	4.0	19	7.5X1.5
HT-111-5-8	5/16"	8	M14X1.5	8L	38	19	5.0	19	6X1.5
HT-111-5-10	5/16"	8	M16X1.5	10L	38	19	5.0	19	7.5X1.5
HT-111-5-12	5/16"	8	M18X1.5	12L	40	19	5.0	22	9X1.5
HT-111-6-10	3/8"	10	M16X1.5	10L	45	20	6,5	22	7.5X1.5
HT-111-6-12	3/8"	10	M18X1.5	12L	45	21	6,5	22	9X1.5
HT-111-6-15	3/8"	10	M22X1.5	15L	45	21	6,5	27	12X2
HT-111-8-15	1/2"	12	M22X1.5	15L	65	21	9.0	27	12X2
HT-111-10-18	5/8"	16	M26X1.5	18L	70	27	11,5	32	15X2
HT-111-12-22	3/4"	20	M30X2	22L	88	30	14,5	36	18X2
HT-111-16-28	1"	25	M36X2	28L	85	36	19.0	41	25X2
HT-111-16-35	1"	25	M45X2	35L	90	36	19.0	50	30X2.5
HT-111-20-35	1"1/4	32	M45X2	35L	95	40	24,5	50	33X2.5
HT-111-20-42	1"1/4	32	M52X2	42L	96	44	24,5	60	33X2.5
HT-111-24-42	1"1/2	40	M52X2	42L	110	48	29,5	60	33X2.5



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

METRİK 24 TİP L

METRİK DÖNER SOMUNLU HORTUM RAKORLARI 90°

Metrik 90° hose fittings with rotating nut

HT- 112



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	SIZE	DN		D	L 1	H	D 1	1	O-RİNG
HT-112-3-6	3/16"	5	M12X1.5	6L	28	28	3	14	4X1.5
HT-112-3-8	3/16"	5	M14X1.5	8L	28	28	3	17	6X1.5
HT-112-4-6	1/4"	6	M12X1.5	6L	30	30	4	17	4X1.4
HT-112-4-8	1/4"	6	M14X1.5	8L	30	32	4	17	6X1.5
HT-112-4-10	1/4"	6	M16X1.5	10L	30	34	4	19	7.5X1.5
HT-112-5-8	5/16"	8	M14X1.5	8L	30	35	5	19	6X1.5
HT-112-5-10	5/16"	8	M16X1.5	10L	32	36	5	19	7.5X1.5
HT-112-5-12	5/16"	8	M18X1.5	12L	32	36	5	22	9X1.5
HT-112-6-10	3/8"	10	M16X1.5	10L	40	38	6,5	22	7.5X1.5
HT-112-6-12	3/8"	10	M18X1.5	12L	35	38	9,5	22	12X2
HT-112-6-15	3/8"	10	M22X1.5	15L	35	38	6,5	27	12X2
HT-112-8-15	1/2"	12	M22X1.5	15L	35	40	9	27	15X2
HT-112-10-18	5/8"	16	M26X1.5	18L	58	58	11,5	22	18X2
HT-112-12-22	3/4"	20	M30X2	22L	65	60	14,5	36	25X2
HT-112-16-28	1"	25	M36X2	28L	70	75	19	41	30X2.5
HT-112-16-35	1"	25	M45X2	35L	70	75	19	50	30X2.5
HT-112-20-35	1"1/4	32	M45X2	35L	70	80	24,5	50	30X2.5
HT-112-20-42	1"1/4	32	M52X2	42L	75	90	24,5	60	33X2.5
HT-112-24-42	1"1/2	40	M52X2	42L	100	100	29,5	60	33X2.5



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

METRİK 24 TİP L

METRİK ERKEK HORTUM RAKORLARI

Metric male hose unions

HT- 113



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN		D	L 1	D 1	1	O-RİNG
HT-113-3-6	3/16"	5	M12X1.5	6L	24	3.0	12	4X1,5
HT-113-3-8	3/16"	5	M14X1.5	8L	24	3.0	14	6X1.5
HT-113-4-6	1/4"	5	M12X1.5	6L	24	4.0	14	4X1.5
HT-113-4-8	1/4"	6	M14X1.5	8L	24	4.0	17	6X1.5
HT-113-4-10	1/4"	6	M16X1.5	10L	24	4.0	17	7.5X1.5
HT-113-5-8	5/16"	8	M14X1.5	8L	24	5.0	17	6X1.5
HT-113-5-10	5/16"	8	M16X1.5	10L	24	5.0	17	7.5X1.5
HT-113-5-12	5/16"	8	M18X1.5	12L	24	5.0	19	9X1.5
HT-113-6-10	3/8"	10	M16X1.5	10L	25	6,5	19	7.5X1.5
HT-113-6-12	3/8"	10	M18X1.5	12L	26	6,5	19	9X1.5
HT-113-6-15	3/8"	10	M22X1.5	15L	26	6,5	22	12X2
HT-113-8-15	1/2"	12	M22X1.5	15L	28	9,5	22	12X2
HT-113-10-18	5/8"	16	M26X1.5	18L	35	11,5	27	15X2
HT-113-12-22	3/4"	20	M30X2	22L	40	14,5	32	18X2
HT-113-16-28	1"	25	M36X2	28L	42	19.0	36	25X2
HT-113-16-35	1"	25	M45X2	35L	50	19.0	46	30X2.5
HT-113-20-35	1"1/4	32	M45X2	35L	50	24,5	46	33X2.5
HT-113-20-42	1"1/4	42	M52X2	42L	52	24,5	55	33X2.5
HT-113-24-42	1"1/2	40	M52X2	42L	52	29,5	55	33X2.5



METRİK 24 TİP S

METRİK DÖNER SOMUNLU HORTUM RAKORLARI

Metric hose fitting with rotating nut

HT- 120



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SIZE	DN		D	L 1	D 1	1	O-RİNG
HT-120-4-6	1/4"	6	M14X1.5	6S	21,5	4	17	4X1.5
HT-120-4-8	1/4"	6	M16X1.5	8S	23,5	4	19	6X1.5
HT-120-6-10	3/8"	10	M18X1.5	10S	25	6,5	22	7.5X1.5
HT-120-6-12	3/8"	10	M20X1.5	12S	25	6,5	24	9X1.5
HT-120-6-16	3/8"	10	M24X1.5	16S	26	6,5	30	12X2
HT-120-8-16	1/2"	12	M25X1.5	16S	26	9	30	12X2
HT-120-10-20	5/8"	16	M30X2	20S	34,5	11,5	36	16X2.5
HT-120-12-20	3/4"	20	M30X2	20S	35	14,5	36	16X2.5
HT-120-12-25	3/4"	20	M36X2	25S	38	14,5	46	20X2.5
HT-120-16-25	1"	25	M36X2	25S	38	19	46	20X2.5
HT-120-16-30	1"	25	M42X2	30S	40	19	50	25X2.5
HT-120-20-30	1"1/4	32	M42X2	30S	40	24,5	50	33X2.5
HT-120-20-38	1"1/4	32	M52X2	38S	45	24,5	60	33X2.5
HT-120-24-38	1"1/2	40	M52X2	38S	45	29,5	60	33X2.5



METRİK 24 TİP S

METRİK DÖNER SOMUNLU HORTUM RAKORLARI 45°

Metric 45° hose fitting with rotating nut

HT- 121



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	SİZE	DN		D	L 1	H	D 1	1	O-RİNG
HT-121-4-6	1/4"	6	M14X1.5	6S	35	14	4	17	4X1.5
HT-121-4-8	1/4"	6	M16X1.5	8S	35	16	4	19	6X1.5
HT-121-6-10	3/8"	10	M18X1.5	10S	40	20	6,5	22	7.5X1.5
HT-121-6-12	3/8"	10	M20X1.5	12S	44	21	6,5	24	9X1.5
HT-121-6-16	3/8"	10	M24X1.5	16S	45	21	6,5	30	12X2
HT-121-8-16	1/2"	12	M24X1.5	16S	54	21	11,5	30	12X2
HT-121-10-20	5/8"	16	M30X2	20S	65	27	14,5	36	16X2.5
HT-121-12-20	3/4"	20	M30X2	20S	70	30	14,5	36	16X2.5
HT-121-12-25	3/4"	20	M36X2	25S	80	32	19	46	20X2.5
HT-121-16-25	1"	25	M36X2	25S	88	36	19	46	20X2.5
HT-121-16-30	1"	25	M42X2	30S	90	36	24,5	50	25X2.5
HT-121-20-30	1"1/4	32	M42X2	30S	95	40	24,5	50	33X2.5
HT-121-20-38	1"1/4	32	M52X2	38S	96	44	29,5	60	33X2.5
HT-121-24-38	1"1/2	40	M52X2	38S	110	48	29,5	60	33X2.5



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

METRİK 24 TİP S

METRİK DÖNER SOMUNLU 90° HORTUM RAKORLARI

Metric hose fitting with rotating nut

HT- 122



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	SIZE	DN		D	L 1	H	D 1	1	O-RİNG
HT-122-4-6	1/4"	6	M14X1.5	6S	30	32	4	17	4X1.5
HT-122-4-8	1/4"	6	M16X1.5	8S	30	34	4	19	6X1.5
HT-122-6-10	3/8"	10	M18X1.5	10S	35	38	6,5	22	7.5X1.5
HT-122-6-12	3/8"	10	M20X1.5	12S	35	38	6,5	24	9X1.5
HT-122-6-16	3/8"	10	M24X1.5	16S	35	38	6,5	30	16X2.5
HT-122-8-16	1/2"	12	M24X1.5	16S	35	41	9	30	16X2.5
HT-122-10-20	5/8"	16	M30X2	20S	58	55	11,5	36	16X2.5
HT-122-12-20	3/4"	20	M30X2	20S	65	60	14,5	36	20X2.5
HT-122-12-25	3/4"	20	M36X2	25S	80	65	14,5	46	20X2.5
HT-122-16-25	1"	25	M36X2	25S	70	75	19	46	25X2.5
HT-122-16-30	1"	25	M42X2	30S	70	75	19	50	33X2.5
HT-122-20-30	1"1/4	32	M42X2	30S	70	88	24,5	50	33X2.5
HT-122-20-38	1"1/4	32	M52X2	38S	75	90	24,5	60	33X2.5
HT-122-24-38	1"1/2	40	M52X2	38S	100	100	29,5	60	33X2.5



METRİK 24 TİP S

METRİK ERKEK HORTUM RAKORLARI

Metric male hose unions

HT- 123



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN		D	D 1	L 1	1
HT-123-4-6	1/4"	6	M14X1.5	6S	4	25	14
HT-123-4-8	1/4"	6	M16X1.5	8S	4	25	17
HT-123-6-10	3/8"	10	M18X1.5	10S	6,5	26	19
HT-123-6-12	3/8"	10	M20X1.5	12S	6,5	28	22
HT-123-6-14	3/8"	10	M22X1.5	14S	6,5	28	22
HT-123-6-16	3/8"	10	M24X1.5	16S	6,5	30	24
HT-123-8-12	1/2"	12	M20X1.5	12S	9	28	22
HT-123-8-14	1/2"	12	M22X1.5	14S	9	28	22
HT-123-8-16	1/2"	12	M24X1.5	16S	9	30	24
HT-123-10-16	5/8"	16	M24X1.5	16S	11,5	30	24
HT-123-10-20	5/8"	16	M30X2	20S	11,5	36	32
HT-123-12-20	3/4"	20	M30X2	20S	14,5	38	32
HT-123-12-25	3/4"	20	M36X2	25S	14,5	40	36
HT-123-16-25	1"	25	M36X2	25S	19	42	36
HT-123-16-30	1"	25	M42X2	30S	19	44	46
HT-123-20-38	1"1/4	32	M52X2	38S	19	50	55
HT-123-24-38	1"1/2	40	M52X2	38S	29,5	52	55



JIC 37

UNF DÖNER SOMUNLU HORTUM RAKORLARI

Union for hose, UNF; Swivel

HT- 150



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	SİZE	DN		L 1	D 1	1
HT-150-3-4S	3/16"	5	7/16-20	15	3	14
HT-150-4-4S	1/4"	6	7/16-20	16,5	4	14
HT-150-4-5S	1/4"	6	1/2-20	17	4	17
HT-150-4-6S	1/4"	6	9/16-18	18,5	4	19
HT-150-5-5S	5/16"	8	1/2-20	17	5	17
HT-150-5-6S	5/16"	8	9/16-18	19	5	19
HT-150-5-7S	5/16"	8	5/8-18	19	5	22
HT-150-6-6S	3/8"	10	9/16-18	19,5	6,5	19
HT-150-6-7S	3/8"	10	5/8-18	19,5	6,5	22
HT-150-6-8S	3/8"	10	3/4-16	20,5	6,5	24
HT-150-8-8S	1/2"	12	3/4-16	21,5	9	24
HT-150-8-10S	1/2"	12	7/8-14	24	9	27
HT-150-10-10S	5/8"	16	7/8-14	24,5	11,5	27
HT-150-10-12S	5/8"	16	1"1/16-12	25	11,5	32
HT-150-12-12S	3/4"	20	1"1/16-12	32	14,5	32
HT-150-12-16S	3/4"	20	1"5/16-12	28	14,5	41
HT-150-16-16S	1"	25	1"5/16-12	32	19	41
HT-150-20-20S	1"1/4	32	1"5/8-12	35	24,5	50
HT-150-24-24S	1"1/2	40	1"7/8-12	36	29,5	70
HT-150-32-32S	2"	50	2"1/2-12	40	42,5	70



JIC 37

UNF DÖNER SOMUNLU 45° HORTUM RAKORLARI

Union for hose, UNF; Swivel

HT-151



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN		H	L 1	D 1	1
HT-151-3-4S	3/16"	5	7/16-20	10	45	3	14
HT-151-4-4S	1/4"	6	7/16-20	15	45	4	14
HT-151-4-5S	1/4"	6	1/2-20	15	45	4	17
HT-151-4-6S	1/4"	6	9/16-18	15	45	4	19
HT-151-5-5S	5/16"	8	1/2-20	18	50	5	17
HT-151-5-6S	5/16"	8	9/16-18	18	50	5	19
HT-151-5-7S	5/16"	8	5/8-18	18	50	5	22
HT-151-6-6S	3/8"	10	9/16-18	20	55	6,5	19
HT-151-6-7S	3/8"	10	5/8-18	20	55	6,5	22
HT-151-6-8S	3/8"	10	3/4-16	20	55	6,5	24
HT-151-8-8S	1/2"	12	3/4-16	25	65	9	24
HT-191-8-10S	1/2"	12	7/8-14	25	65	9	27
HT-151-10-10S	5/8"	16	7/8-14	25	70	11,5	27
HT-151-10-12S	5/8"	16	1"1/16-12	25	75	11,5	32
HT-151-12-12S	3/4"	20	1"1/16-12	30	80	14,5	32
HT-151-12-16S	3/4"	20	1"5/16-12	30	70	14,5	41
HT-151-16-16S	1"	25	1"5/16-12	35	90	19	41
HT-151-20-20S	1"1/4	32	1"5/8-12	40	100	24,5	50
HT-151-24-24S	1"1/2	40	1"7/8-12	50	120	29,5	55
HT-151-32-32S	2"	50	2"1/2-12	60	150	42,5	70



JIC 37

UNF DÖNER SOMUNLU 90° HORTUM RAKORLARI

Union for hose, UNF; Swivel

HT- 152



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN		H	L 1	D 1	1
HT-152-3-4S	3/16"	5	7/16-20	26	32	3	14
HT-152-4-4S	1/4"	6	7/16-20	32	32	4	14
HT-152-4-5S	1/4"	6	1/2-20	32	32	4	17
HT-152-4-6S	1/4"	6	9/16-18	32	32	4	19
HT-152-5-5S	5/16"	8	1/2-20	35	35	5	17
HT-152-5-6S	5/16"	8	9/16-18	35	35	5	19
HT-152-5-7S	5/16"	8	5/8-18	35	35	5	22
HT-152-6-6S	3/8"	10	9/16-18	36	38	6,5	19
HT-152-6-7S	3/8"	10	5/8-18	36	41	6,5	22
HT-152-6-8S	3/8"	10	3/4-16	38	38	6,5	24
HT-152-8-8S	1/2"	12	3/4-16	45	45	9	24
HT-152-8-10S	1/2"	12	7/8-14	50	45	9	27
HT-152-10-10S	5/8"	16	7/8-14	55	58	11,5	27
HT-152-10-12S	5/8"	16	1"1/16-12	56	65	11,5	32
HT-152-12-12S	3/4"	20	1"1/16-12	60	80	14,5	32
HT-152-12-16S	3/4"	20	1"5/16-12	70	80	14,5	41
HT-152-16-16S	1"	25	1"5/16-12	70	80	19	41
HT-152-20-20S	1"1/4	32	1"5/8-12	90	80	24,5	50
HT-152-24-24S	1"1/2	40	1"7/8-12	100	100	29,5	55
HT-152-32-32S	2"	50	2"1/2-12	120	135	42,5	70



JIC 37

UNF ERKEK HORTUM RAKORLARI

Union for hose, UNF; Swivel

HT- 153



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	SİZE	DN		L 1	D 1	1
HT-153-3-4S	3/16"	5	7/16-20	24	3	12
HT-153-4-4S	1/4"	6	7/16-20	25	4	12
HT-153-4-5S	1/4"	6	1/2-20	26	4	14
HT-153-4-6S	1/4"	6	9/16-18	26	4	15
HT-153-5-6S	5/16"	8	9/16-18	26	5	15
HT-153-5-7S	5/16"	8	5/8-18	27	5	17
HT-153-6-6S	3/8"	10	9/16-18	30	6,5	17
HT-153-6-7S	3/8"	10	5/8-18	30	6,5	17
HT-153-6-8S	3/8"	10	3/4-16	30	6,5	19
HT-153-8-8S	1/2"	12	3/4-16	35	9	22
HT-153-8-10S	1/2"	12	7/8-14	35	9	24
HT-153-10-10S	5/8"	16	7/8-14	38	11,5	24
HT-153-10-12S	5/8"	16	1"1/16-12	42	11,5	32
HT-153-12-12S	3/4"	20	1"1/16-12	42	14,5	32
HT-153-16-16S	1"	25	1"5/16-12	45	19,5	41
HT-153-20-20S	1"1/4	32	1"5/8-12	55	24,5	50
HT-153-24-24S	1"1/2	40	1"7/8-12	60	29,5	55
HT-153-32-32S	2"	50	2"1/2-12	65	42	65



BSP 60**BSP DÖNER SOMUNLU HORTUM RAKORLARI****Union for hose, BSP; Swivel****HT- 160**

KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	SİZE	DN		L 1	D 1	1
HT-160-3-2	3/16"	5	G1/8-28	17	3	14
HT-160-3-4	3/16"	5	G1/4-19	20	3	19
HT-160-4-2	1/4"	6	G1/8-28	17	4	14
HT-160-4-4	1/4"	6	G1/4-19	20	4	19
HT-160-5-4	5/16"	8	G1/4-19	22	5	19
HT-160-5-6	5/16"	8	G3/8-19	22	5	22
HT-160-5-8	5/16"	8	G1/2-14	25	5	27
HT-160-6-4	3/8"	10	G1/4-19	20	6,5	19
HT-160-6-6	3/8"	10	G3/8-19	25	6,5	22
HT-160-6-8	3/8"	10	G1/2-14	27	6,5	27
HT-160-8-6	1/2"	12	G3/8-19	27	9	22
HT-160-8-8	1/2"	12	G1/2-14	27	9	27
HT-160-10-10	5/8"	16	G5/8-14	28	11,5	30
HT-160-10-12	5/8"	16	G3/4-14	28	11,5	32
HT-160-12-12	3/4"	20	G3/4-14	30	14,5	32
HT-160-16-16	1"	25	G1"-11	35	19	41
HT-160-20-20	1"1/4	32	G1"1/4-11	40	24,5	50
HT-160-24-24	1"1/2	40	G1"1/2-11	42	29,5	55
HT-160-32-32	2"	50	G2"-11	50	42,5	70
HT-160-40-40	2"1/2	63	G2"1/2-11	50	55	90
HT-160-48-48	3"	76	G3"-11	50	65	100



BSP 60

BSP DÖNER SOMUNLU 45° HORTUM RAKORLARI

Union for hose, BSP; Swivel

HT- 161



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	SİZE	DN	H	D 1	L 1	1	
HT-161-3-2	3/16"	5	G1/8-28	17	3	30	14
HT-161-3-4	3/16"	5	G1/4-19	20	3	30	19
HT-161-4-2	1/4"	6	G1/8-28	17	4	30	14
HT-161-4-4	1/4"	6	G1/4-19	20	4	34	19
HT-161-5-4	5/16"	8	G1/4-19	22	5	34	19
HT-161-5-6	5/16"	8	G3/8-19	22	5	34	22
HT-161-5-8	5/16"	8	G1/2-14	25	5	40	27
HT-161-5-4	3/8"	10	G1/4-19	20	6,5	40	19
HT-161-6-6	3/8"	10	G3/8-19	25	6,5	50	22
HT-161-6-8	3/8"	10	G1/2-14	27	6,5	58	27
HT-161-8-6	1/2"	12	G3/8-19	27	9	60	22
HT-161-8-8	1/2"	12	G1/2-14	27	9	65	27
HT-161-10-10	5/8"	16	G5/8-14	28	11,5	70	30
HT-161-10-12	5/8"	16	G3/4-14	28	11,5	70	32
HT-161-12-12	3/4"	20	G3/4-14	30	14,5	80	32
HT-161-16-16	1"	25	G1"-11	35	19	90	41
HT-161-20-20	1"1/4	32	G1"1/4-11	40	24,5	100	50
HT-161-24-24	1"1/2	40	G1"1/2-11	42	29,5	120	55
HT-161-32-32	2"	50	G2"-11	50	42,5	150	70
HT-161-40-40	2"1/2	63	G2"1/2-11	150	55	55	90
HT-161-48-48	3"	76	G3"-11	170	65	65	100



BSP 60

BSP DÖNER SOMUNLU 90 HORTUM RAKORLARI

Union for hose, BSP; Swivel

HT- 162



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN		L 1	H	D 1	1
HT-162-3-2	3/16"	5	G1/8-28	23	24	3	14
HT-162-3-4	3/16"	5	G1/4-19	32	28	3	19
HT-162-4-2	1/4"	6	G1/8-28	17	32	3	14
HT-162-4-4	1/4"	6	G1/4-19	32	32	4	19
HT-162-5-4	5/16"	8	G1/4-19	32	35	5	19
HT-162-5-6	5/16"	8	G3/8-19	32	35	5	22
HT-162-5-8	5/16"	8	G1/2-14	32	32	5	27
HT-162-6-4	3/8"	10	G1/4-19	35	35	5	19
HT-162-6-6	3/8"	10	G3/8-19	35	35	6,5	22
HT-162-6-8	3/8"	10	G1/2-14	36	35	6,5	27
HT-162-8-8	1/2"	12	G1/2-14	50	50	9	27
HT-162-10-10	5/8"	16	G5/8-14	55	55	11,5	30
HT-162-10-12	5/8"	16	G3/4-14	55	60	11,5	32
HT-162-12-12	3/4"	20	G3/4-14	65	60	14,5	32
HT-162-16-16	1"	25	G1"-11	80	75	19	41
HT-162-20-20	1"1/4	32	G1"1/4-11	95	90	24,5	50
HT-162-24-24	1"1/2	40	G1"1/2-11	100	105	29,5	55
HT-162-32-32	2"	50	G2"-11	110	135	42,5	70
HT-162-40-40	2"1/2	63	G2"1/2-11	130	140	55	90
HT-162-48-48	3"	76	G3"-11	150	170	65	100



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidroroteknik.com.tr
info@hidroroteknik.com.tr

BSP 60

NPT ERKEK HORTUM RAKORLARI

Union for hose, BSP Male

HT- 163



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN	L 1	D 1	1	
HT-163-3-2	3/16"	5	G1/8-28	22	3	12
HT-163-4-2	1/4"	6	G1/8-28	22	4	12
HT-163-4-4	1/4"	6	G1/4-19	27	4	14
HT-163-5-4	5/16"	8	G1/4-19	26	5	14
HT-163-5-8	5/16"	8	G1/2-14	33	5	22
HT-163-6-8	3/8"	10	G1/2-14	35	6,5	22
HT-163-6-4	3/8"	10	G1/4-19	28	6,5	17
HT-163-6-6	3/8"	10	G3/8-19	28	6,5	19
HT-163-8-6	1/2"	12	G3/8-19	30	9	22
HT-163-8-8	1/2"	12	G1/2-14	35	9	22
HT-163-8-8-U	1/2"	12	G1/2-14	43	11,5	27
HT-163-10-10-U	5/8"	16	G5/8-14	52	11,5	27
HT-163-10-12	5/8"	16	G3/4-14	38	11,5	32
HT-163-12-12	3/4"	20	G3/4-14	41	14,5	32
HT-163-16-16	1"	25	G1"-11	49	19	36
HT-163-20-20	1"1/4	32	G1"1/4-11	55	24,5	46
HT-163-24-24	1"1/2	40	G1"1/2-11	58	29,5	50
HT-163-32-32	2"	50	G2"-11	60	42,5	65
HT-163-40-40	2"1/2	63	G2"1/2-11	65	55	80
HT-163-48-48	3"	76	G3"-11	68	65	100



BSP 60

BSP DÖNER SOMUNLU HORTUM RAKORLARI (JCB)

Union for hose, BSP Male

HT- 164



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SIZE	DN		L 1	D 1	1	O-RİNG
HT-164-4-4	1/4"	6	G1/4-19	21,5	4	19	6x1
HT-164-6-6	3/8"	10	G1/8-19	24	6,5	22	8x2
HT-164-8-8	1/2"	12	G1/2-14	26	9	27	10x1,6
HT-164-10-10	5/8"	16	G5/8-14	21	11,5	27	12x1,5
HT-164-12-12	3/4"	20	G3/4-14	22	14,5	32	
HT-164-16-16	1"	25	G1"-11	23	19	41	



BSP 60

BSP DÖNER SOMUNLU 45° HORTUM RAKORLARI (JCB)

Union for hose, BSP Male

HT- 165



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	SIZE	DN	D	L 1	H	D 1	1	O-RİNG
HT-165-4-4	1/4"	6	G1/4-19	50	17	4	19	6X1
HT-165-6-6	3/8"	10	G3/8-19	52	18	6,5	22	8X2
HT-165-8-8	1/2"	12	G1/2-14	64	24	9	27	10X1.6
HT-165-10-10	5/8"	16	G5/8-14	62	28	12	27	12X1.5
HT-165-16-16	1"	25	G1"-11	90	35	20	41	



JCB 60

BSP DÖNER SOMUNLU 90 HORTUM RAKORLARI (JCB)

Union for hose, BSP Male

HT- 166



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	SIZE	DN	D	L 1	H	D 1	1	O-RİNG
HT-166-4-4	1/4"	6	G1/4-19	25	30	4	19	6X1
HT-166-6-6	3/8"	10	G3/8-19	42	38	6,5	22	8X2
HT-166-8-8	1/2"	12	G1/2-14	42	45	9	27	10X1.6
HT-166-10-10	5/8"	16	G5/8-14	55	50	11,5	27	12X1.5
HT-166-12-12	3/4"	20	G3/4-14	58	60	14,5	32	
HT-166-16-16	1"	25	G1"-11	68	75	19,5	41	



SAE 3000 PSI

FLANŞLI HORTUM RAKORLARI

SAE hose fitting with flange

HT- 170



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN	D	L 1	D 1	O-RİNG
HT-170-8-8	1/2"	12	30,2	42	9	17X3,5
HT-170-8-10	1/2"	12	31,8	48	9	18X3,5
HT-170-8-12	1/2"	12	38,1	59	9	24X3,5
HT-170-12-12	3/4"	20	38,1	62	14,5	24X3,5
HT-170-12-16	3/4"	20	44,4	65	14,5	31X3,5
HT-170-16-12	1"	25	38,1	65	19	24X3,5
HT-170-16-16	1"	25	44,4	65	19	31X3,5
HT-170-16-20	1"	25	50,8	65	19	36X3,5
HT-170-16-24	1"	25	60,3	65	19	46X3,5
HT-170-20-16	1"1/4	32	44,4	78	24,5	31X3,5
HT-170-20-20	1"1/4	25	50,8	65	24,5	36X3,5
HT-170-20-24	1"1/4	32	60,3	78	24,5	46X3,5
HT-170-24-24	1"1/2	40	60,3	87	29,5	46X3,5
HT-170-24-32	1"1/2	40	71,4	80	29,5	55X3,5
HT-170-32-32	2"	40	71,4	80	42,5	55X3,5



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

SAE 3000 PSI

FLANŞLI HORTUM RAKORLARI 45°

SAE hose fitting with flange

HT- 171



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	SİZE	DN	D	H	L 1	D 1	O-RİNG
HT-171-8-8	1/2"	12	30,2	30	60	9	17X3,5
HT-171-8-10	1/2"	12	31,8	30	65	9	18X3,5
HT-171-8-12	1/2"	12	38,1	30	75	9	24X3,5
HT-171-12-12	3/4"	20	38,1	32	80	14,5	24X3,5
HT-171-12-16	3/4"	20	44,4	32	80	14,5	31X,3,5
HT-171-16-12	1"	25	38,1	35	90	19	24X3,5
HT-171-16-16	1"	25	44,4	40	100	19	31X3,5
HT-171-16-20	1"	25	50,8	40	100	19	36X3,5
HT-171-16-24	1"	25	60,3	40	100	19	46X3,5
HT-171-20-16	1"1/4	32	44,4	35	100	24,5	31X3,5
HT-171-20-24	1"1/4	32	60,3	40	100	24,5	46X3,5
HT-171-24-24	1"1/2	40	60,3	45	115	29,5	46X3,5
HT-171-24-32	1"1/2	40	71,4	45	115	29,5	55X3,5
HT-171-32-32	2"	50	71,4	60	125	42,5	55X3,5



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidroroteknik.com.tr
info@hidroroteknik.com.tr

SAE 3000 PSI

FLANŞLI HORTUM RAKORLARI 90°

SAE hose fitting with flange

HT- 172



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	SİZE	DN	D	H	L 1	D 1	O-RİNG
HT-172-8-8	1/2"	12	30,2	65	55	9	17X3,5
HT-172-8-10	1/2"	12	31,8	70	60	9	24X3,5
HT-172-8-12	1/2"	12	38,1	70	60	9	24X3,5
HT-172-12-12	3/4"	20	38,1	70	60	14,5	24X3,5
HT-172-12-16	3/4"	20	44,4	70	60	14,5	31X3,5
HT-172-16-16	1"	25	44,4	80	75	19	31X3,5
HT-172-16-20	1"25	25	50,8	80	75	19	36X3,5
HT-172-16-24	1"	25	60,3	100	90	19	46X3,5
HT-172-20-16	1"1/4	32	44,4	100	90	24,5	31X3,5
HT-172-20-20	1"1/4	32	50,8	100	90	24,5	36X3,5
HT-172-20-24	1"1/4	32	60,3	100	90	24,5	46X3,5
HT-172-24-24	1"1/2	40	60,3	115	105	29,5	46X3,5
HT-172-24-32	1"1/2	40	71,4	115	105	29,5	55X3,5
HT-172-32-32	2"	50	71,4	140	130	42,5	55X3,5



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

SAE 3000-6000 PSI

UZUN BÜKÜMLÜ FLANŞLI HORTUM RAKORLARI 90°

SAE hose fitting with flange

HT- 173



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	SİZE	DN	D	H	L 1	D 1	O-RİNG
HT-173-UB-12-12	3/4"	20	38,1	120	85	14,5	24X3,5
HT-173-UB-12-16	3/4"	20	44,4	120	85	14,5	31X3,5
HT-173-UB-16-12	1"	25	38,1	120	85	19	24X3,5
HT-173-UB-16-16	1"	25	44,4	120	85	19	32X3,5
HT-173-UB-16-20	1"	25	50,8	120	85	19	36X3,5
HT-173-UB-20-20	1"1/4	32	50,8	130	90	24,5	36X3,5

HT- 183

KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	SİZE	DN	D	H	L 1	D 1	O-RİNG
HT-183-UB-12-14	3/4"	20	41,3	120	85	14,5	25X3,5
HT-183-UB-16-14	1"	25	41,3	120	85	14,5	25X3,5
HT-183-UB-16-18	1"	25	47,6	120	85	19	32X3,5
HT-183-UB-16-20	1"	25	54	120	85	19	36X3,5
HT-183-UB-20-16	1"1/4	32	47,6	130	90	24,5	32X3,5
HT-183-UB-20-24	1"1/4	32	54	130	90	24,5	36X3,5



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

SAE 6000 PSI

FLANŞLI HORTUM RAKORLARI

SAE hose fitting with flange

HT- 180



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN	D	L 1	D 1	O-RİNG
HT-180-8-10	1/2"	12	34,1	46	9	18X3,5
HT-180-10-12	5/8"	16	41,3	52	11,5	25X3,5
HT-180-12-12	3/4"	20	41,3	53	14,5	25X3,5
HT-180-12-16	3/4"	20	47,6	62	14,5	32X3,5
HT-180-16-12	1"	25	47,6	70	19	32X3,5
HT-180-16-16	1"	25	41,3	64	19	32X3,5
HT-180-16-20	1"	25	54	64	19	36X3,5
HT-180-20-16	1"1/4	32	47,6	78	24,5	32X3,5
HT-180-20-20	1"1/4	32	54	80	24,5	36X3,5



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

SAE 6000 PSI

FLANŞLI HORTUM RAKORLARI 45°

SAE hose fitting with flange

HT- 181



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	SİZE	DN	D	H	L 1	D 1	O-RİNG
HT-181-8-10	1/2"	12	34,1	25	60	9	18x3,5
HT-181-10-12	5/8"	16	41,3	30	65	11,5	25x3,5
HT-181-12-12	3/4"	20	41,3	30	76	14,5	25x3,5
HT-181-12-16	3/4"	20	47,6	30	80	14,5	32x3,5
HT-181-16-12	1"	25	41,3	40	90	19	25x3,5
HT-181-16-16	1"	25	47,6	40	90	19	32x3,5
HT-181-16-20	1"	25	54	40	90	19	36x3,5
HT-181-20-16	1"1/4	32	47,6	40	100	24,5	32x3,5
HT-181-20-20	1"1/4	32	54	40	100	24,5	36x3,5



SAE 6000 PSI

FLANŞLI HORTUM RAKORLARI 90°

SAE hose fitting with flange

HT- 182



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	SİZE	DN	D	H	L 1	D 1	O-RİNG
HT-182-8-10	1/2"	12	34,1	46	46	9	18x3,5
HT-182-10-12	5/8"	16	41,3	65	60	11,5	25x3,5
HT-182-12-12	3/4"	20	41,3	70	60	14,5	25x3,5
HT-182-12-16	3/4"	20	47,6	70	80	14,5	32x3,5
HT-182-16-12	1"	25	41,3	70	80	19	25x3,5
HT-182-16-16	1"	25	47,6	72	80	19	32x3,5
HT-182-16-20	1"	25	54	75	80	19	36x3,5
HT-182-20-16	1"1/4	32	47,6	90	90	24,5	32x3,5
HT-182-20-20	1"1/4	32	54	90	90	24,5	36x3,5



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

S.A.E 6000 PSİ

FLANŞLI HORTUM RAKORLARI

SAE hose fitting with flange

HT- 190



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN	D	D 1	L 1	O-RİNG
HT-190-12-12	3/4"	20	41,3	14,5	68	28X4,5
HT-190-12-16	3/4"	20	47,6	14,5	68	32X4,5
HT-190-16-12	1"	25	41,3	19,5	68	28X3,5
HT-190-16-16	1"	25	47,6	19	68	32X4,5
HT-190-16-20	1"	25	54	19	68	35X4,5
HT-190-20-20	1"1/4	32	54	24,5	83	35X4,5
HT-190-20-24	1"1/4	32	63,5	24,5	83	42X4,5
HT-190-24-24	1"1/2	40	63,5	29,5	93	42X4,5
HT-190-32-32	2"	50	79,4	42,5	93	57X4,5



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

S.A.E 6000 PSİ

FLANŞLI HORTUM RAKORLARI 45°

SAE hose fitting with flange

HT- 191



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	SİZE	DN	D	H	L 1	D 1	O-RİNG
HT-191-12-12	3/4"	20	41,3	32	80	14,5	25X3,5
HT-191-12-16	3/4"	20	47,6	32	80	14,5	32X3,5
HT-191-16-12	1"	25	41,3	40	100	19	25X3,5
HT-191-16-16	1"	25	47,6	40	100	19	28X4,5
HT-191-16-20	1"	25	54	40	100	19	32X3,5
HT-191-20-20	1"1/4	32	54	40	100	24,5	32X3,5
HT-191-20-24	1"1/4	32	63,5	40	100	24,5	42X4,5
HT-191-24-24	1"1/2	40	63,5	45	115	29,5	42X4,5
HT-191-32-32	2"	50	79,4	60	125	42,5	57X4,5



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

S.A.E 6000 PSİ

FLANŞLI HORTUM RAKORLARI 90°

SAE hose fitting with flange

HT- 192



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.			BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN	D	D 1	H	L 1	O-RİNG
HT-192-12-12	3/4"	20	41,3	14,5	70	60	24X3,5
HT-192-12-16	3/4"	20	47,6	14,5	70	60	32X3,5
HT-192-16-12	1"	25	41,3	19	72	80	25X3,5
HT-192-16-16	1"	25	47,6	19	72	80	32X3,5
HT-192-16-20	1"	25	54	19	75	80	36X3,5
HT-192-20-20	1"1/4	32	54	24,5	80	90	36X3,5
HT-192-20-24	1"1/4	32	63,5	24,5	100	90	42X4,5
HT-192-24-24	1"1/2	40	63,5	29,5	115	105	42X4,5
HT-192-32-32	2"	50	79,4	42,5	120	130	57X4,5



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

METRİK 30°

KOMATSU HORTUM RAKORLARI

Union for hose, Komatsu

HT- 200



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN	D	L 1	D 1	1	2
HT-200-4-4	1/4"	6	M14X1.5	19	4	19	14
HT-200-5-6	5/16"	8	M18X1.5	22	5	22	19
HT-200-6-6	3/8"	10	M18X1.5	22	6,5	22	19
HT-200-8-8	1/2"	12	M22X1.5	25	9,5	27	22
HT-200-10-10	5/8"	16	M24X1.5	27	11,5	30	27
HT-200-12-12	3/4"	20	M30X1.5	29	14,5	36	32
HT-200-16-16	1"	25	M33X1.5	30	19	41	36
HT-200-20-20	1"1/4	32	M36X1.5	35	24,5	46	41
HT-200-20-24	1"1/4	32	M42X1.5	37	24,5	50	46
HT-200-24-20	1"1/2	40	M42X1.5	37	29,5	50	50
HT-200-32-24	2"	50	M52X1.5	40	42	60	60



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

BSP 30°

BSP İÇE HAVŞA HORTUM RAKORLARI

For hose, 30° cone female BSP thread

HT-210



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	SİZE	DN		L 1	D 1	1
HT-210-4-4	1/4"	6	G1/4-19	19	4	19
HT-210-5-8	5/16"	8	G1/2-14	20	5	27
HT-210-6-6	3/8"	10	G3/8-19	22	6,5	22
HT-210-6-8	3/8"	10	G1/2"-11	22	6,5	22
HT-210-8-8	1/2"	12	G1/2"-11	22	6,5	27
HT-210-10-10	5/8"	16	G5/8-14	27	11,5	30
HT-210-10-12	5/8"	16	G3/4-14	28	11,5	32
HT-210-12-12	3/4"	20	G3/4-14	29	14,5	32
HT-210-16-16	1"	25	G1"-11	30	19	41
HT-210-20-20	1"1/4	32	G1"1/4-11	35	24,5	50
HT-210-24-24	1"1/2	40	G1"1/2-11	37	29,5	55
HT-210-32-32	2"	50	G2"-11	40	42	70



BSP 30°

BSP İÇE HAVŞA HORTUM RAKORLARI 45°

For hose, 30° cone female BSP thread

HT-211



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN		H	L 1	D 1	1
HT-211-4-4	1/4"	6	G1/4-19	18	30	4	19
HT-211-5-8	5/16"	8	G1/2-14	23	50	5	27
HT-211-6-6	3/8"	10	G3/8-19	25	50	6,5	22
HT-211-6-8	3/8"	10	G1/2-14	25	55	6,5	27
HT-211-8-8	1/2"	12	G1/2-14	30	60	9,5	27
HT-211-10-10	5/8"	16	G5/8-14	30	70	11,5	30
HT-211-10-12	5/8"	16	G3/4-14	30	70	11,5	32
HT-211-12-12	3/4"	20	G3/4-11	32	75	14,5	32
HT-211-16-16	1"	25	G1"-11	35	80	19	41
HT-211-20-20	1"1/4	32	G1"1/4-11	40	90	24,5	50
HT-211-24-24	1"1/2	40	G1"1/2-11	45	110	24,5	55
HT-211-32-32	2"	50	G2"-11	50	120	42	70



BSP 30°

BSP İÇE HAVŞA HORTUM RAKORLARI 90°

For hose, 30° cone female BSP thread

HT-212



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN		H	L 1	D 1	1
HT-212-4-4	1/4"	6	G1/4-19	30	30	4	19
HT-212-5-8	5/16"	8	G1/2-14	35	42	5	27
HT-212-6-6	3/8"	10	G3/8-19	35	38	6,5	22
HT-212-6-8	3/8"	10	G1/2-14	35	40	6,5	27
HT-212-8-8	1/2"	12	G1/2-14	38	42	9,5	27
HT-212-10-10	5/8"	16	G5/8-14	45	55	11,5	30
HT-212-10-12	5/8"	16	G3/4-14	45	55	11,5	32
HT-212-12-12	3/4"	20	G3/4-11	55	65	14,5	32
HT-212-16-16	1"	25	G1"-11	65	70	19	41
HT-212-20-20	1"1/4	32	G1"1/4-11	75	80	24,5	50
HT-212-24-24	1"1/2	40	G1"1/2-11	85	105	24,5	55
HT-212-32-32	2"	50	G2"-11	100	120	42,5	70



HALKA

HALKA ÇIKIŞLI HORTUM RAKORLARI

Union for hose, banjo

HT- 220



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	SİZE	DN	D	L 1	D 1
HT-220-4-10	1/4"	6	10	25	4
HT-220-4-12	1/4"	6	12	27	4
HT-220-6-12	3/8"	10	12	27	6,5
HT-220-6-14	3/8"	10	14	27	6,5
HT-220-6-16	3/8"	10	16	30	6,5
HT-220-8-16	1/2"	12	16	30	9
HT-220-8-18	1/2"	12	18	37	9
HT-220-8-20	1/2"	12	20	40	9
HT-220-8-22	1/2"	12	22	40	9
HT-220-10-20	5/8"	16	20	40	11,5
HT-220-10-22	5/8"	16	22	45	11,5
HT-220-10-24	5/8"	16	24	45	11,5
HT-220-12-26	3/4"	20	26	45	14,5
HT-220-12-30	3/4"	20	30	50	14,5



ARA EK

PRESLİ HORTUM ARA EKLERİ

Union for hose, straight coupling

HT- 225



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	SİZE	DN	D	L 1	L 2
HT-225-3	3/16"	5	3	59	26
HT-225-4	1/4"	6	4	71	32
HT-225-5	5/16"	8	5	71	32
HT-225-6	3/8"	10	6,5	78	35
HT-225-8	1/2"	12	9	88	40
HT-225-10	5/8"	16	11,5	98	45
HT-225-12	3/4"	20	14,5	109	50
HT-225-16	1"	25	19	129	60
HT-225-20	1"1/4	32	24,5	170	80
HT-225-24	1"1/2	40	29,5	170	80



ORFS

ORFS HORTUM RAKORLARI

Union for hose, ORFS female swivel

HT- 230



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN		L 1	D 1	1	2
HT-230-4-6	1/4"	6	9/16-18	27	4	19	13
HT-230-4-10	1/4"	6	11/16-16	27	4	22	13
HT-230-5-6	5/16"	8	9/16-18	27	5	19	14
HT-230-5-10	5/16"	8	11/16-16	27,5	5	22	17
HT-230-6-6	3/8"	10	9/16-18	27,5	6,5	19	15
HT-230-6-10	3/8"	10	11/16-16	28	6,5	22	17
HT-230-6-12	3/8"	10	13/16-16	31	6,5	27	19
HT-230-8-10	1/2"	12	11/16-16	29	9	22	19
HT-230-8-12	1/2"	12	13/16-16	32	9	27	22
HT-230-8-16	1/2"	12	1"-14	32	9	30	24
HT-230-10-16	5/8"	16	1"-14	33	11,5	30	24
HT-230-10-20	5/8"	16	1"3/16-12	38,5	11,5	36	32
HT-230-12-20	3/4"	20	1"3/16-12	38,5	14,5	36	32
HT-230-12-25	3/4"	20	1"7/16-12	39,5	14,5	41	36
HT-230-16-25	1"	25	1"7/16-12	47	19	41	36
HT-230-16-32	1"	25	1"11/16-12	47	19	50	41
HT-230-20-32	1"1/4	32	1"11/16-12	50	24,5	50	41
HT-230-24-40	1"1/2	40	2"-11	54	29,5	60	50



ORFS

ORFS HORTUM RAKORLARI 45°

Union for hose, ORFS female swivel

HT- 231



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN		H	L 1	D 1	1
HT-231-4-6	1/4"	6	9/16-18	18	36	4	19
HT-231-4-10	1/4"	6	11/16-16	18	38	4	22
HT-231-5-6	5/16"	8	9/16-18	18	36	5	19
HT-231-5-10	5/16"	8	11/16-16	20	38	6,5	22
HT-231-6-6	3/8"	10	9/16-18	20	40	6,5	19
HT-231-6-10	3/8"	10	11/16-16	20	40	6,5	22
HT-231-6-12	3/8"	10	13/16-16	22	40	9	27
HT-231-8-10	1/2"	12	11/16-16	26	56	9	22
HT-231-8-12	1/2"	12	13/16-16	26	56	9	27
HT-231-8-16	1/2"	12	1"-14	26	56	11,5	30
HT-231-10-16	5/8"	16	1"-14	26	60	11,5	30
HT-231-10-20	5/8"	16	1"3/16-12	30	57	14,5	36
HT-231-12-20	3/4"	20	1"3/16-12	30	67	14,5	36
HT-231-12-25	3/4"	20	1"7/16-12	35	70	19	41
HT-231-16-25	1"	25	1"7/16-12	38	80	19	41
HT-231-16-32	1"	25	1"11/16-12	40	80	19	50
HT-231-20-32	1"1/4	32	1"11/16-12	45	90	24,5	50
HT-231-24-40	1"1/2	40	2"-11	47	104	29,5	60



ORFS

ORFS HORTUM RAKORLARI 90°

Union for hose, ORFS female swivel

HT- 232



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN		H	L 1	D 1	1
HT-232-4-6	1/4"	6	9/16-18	30	30	4	19
HT-232-4-10	1/4"	6	11/16-16	35	36	4	22
HT-232-5-6	5/16"	8	9/16-18	35	34	5,5	19
HT-232-5-10	5/16"	8	11/16-16	35	38	6,5	22
HT-232-6-6	3/8"	10	9/16-18	42	46	6,5	22
HT-232-6-10	3/8"	10	11/16-16	40	40	6,5	22
HT-232-6-12	3/8"	10	13/16-16	40	45	9	27
HT-232-8-10	1/2"	12	11/16-16	43	45	9	22
HT-232-8-12	1/2"	12	13/16-16	43	55	9	27
HT-232-10-16	5/8"	16	1"-14	47	57	11,5	30
HT-232-10-20	5/8"	16	1"3/16-12	55	68	11,5	32
HT-232-12-20	3/4"	20	1"3/16-12	73	55	14,5	32
HT-232-12-25	3/4"	20	1"7/16-12	73	60	14,5	41
HT-232-16-25	1"	25	1"7/16-12	75	60	19	41
HT-232-16-32	1"	25	1"11/16-12	80	70	19	50
HT-232-20-32	1"1/4	32	1"11/16-12	92	85	24,5	50
HT-232-24-40	1"1/2	40	2"-11	98	94	29,5	60



ORFS

ORFS ERKEK HORTUM RAKORLARI

Union for hose, ORFS male UNF

HT- 233



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN		D 1	L 1	1	O-RİNG
HT-233-4-6	1/4"	6	9/16-18	4	24	15	7.6X1.78
HT-233-4-10	1/4"	6	11/16-16	4	24	19	9.2X1.78
HT-233-5-6	5/16"	8	9/16-18	5	24	15	7.6X1.78
HT-233-5-10	5/16"	8	11/16-16	5	24	19	9.2X1.78
HT-233-6-6	3/8"	10	9/16-18	6,5	25	17	7.6X1.78
HT-233-6-10	3/8"	10	11/16-16	6,5	25	19	9.2X1.78
HT-233-6-12	3/8"	10	13/16-16	6,5	30	27	12.4X1.78
HT-233-8-10	1/2"	12	11/16-16	9	26	19	9.2X1.78
HT-233-8-12	1/2"	12	13/16-16	9	31	27	12.4X1.78
HT-233-8-16	1/2"	16	1"-14	9	31	27	15.6X1.78
HT-233-10-16	5/8"	16	1"-14	11,5	32	27	15.6X1.78
HT-233-10-20	5/8"	16	1"3/16-12	11,5	37	32	18.7X1.78
HT-233-12-20	3/4"	20	1"3/16-12	14,5	37	32	18.7X1.78
HT-233-12-25	3/4"	20	1"7/16-12	14,5	40	41	23.5X1.78
HT-233-16-25	1"	25	1"7/16-12	19	38	41	23.5X1.78
HT-233-16-32	1"	25	1"11/16-12	19	46	46	33X1.78
HT-233-20-32	1"1/4	32	1"11/16-12	24,5	46	46	33X1.78
HT-233-24-40	1"1/2	40	2"-11	29,5	46	55	37.8X1.78



ORFS

SEKMAN VE O-RİNG YUVALI AUROLOK HORTUM RAKORLARI

Union for hose, staple fitting for mining

HT- 240



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.		BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	SİZE	DN	D	L 1	D 1
HT-240-4-6	1/4"	6	15,0	35	4
HT-240-4-10	1/4"	10	19,8	35	4
HT-240-6-10	3/8"	10	19,8	35	6,5
HT-240-8-12	1/2"	12	23,9	36	9
HT-240-10-16	5/8"	16	25,9	36	11,5
HT-240-12-20	3/4"	20	29,0	37	14,5
HT-240-16-25	1"	25	38,9	45	19
HT-240-20-32	1"1/4	32	46,0	46	24,5



UNF JIC 37

KAYNAKLIK NİPEL

Weld Nipples

HT- 245



KOD NO Part Number	T - DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm
ID NO	T	L
HT-245-4S	7/16-20	28
HT-245-5S	1/2-20	30
HT-245-6S	9/16-18	33
HT-245-7S	5/8-18	35
HT-245-8S	3/4-16	42
HT-245-10S	7/8-14	43
HT-245-12S	1"1/16-12	46
HT-245-16S	1"5/16-12	47



UNF JIC 37

TAPA SOMUN

Plug Nuts

HT- 246



KOD NO Part Number	T - DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm	
ID NO	T	L	1
HT-246-4S	7/16-20	16	14
HT-246-5S	1/2-20	17	17
HT-246-6S	9/16-18	19	19
HT-246-7S	5/8-18	19	22
HT-246-8S	3/4-16	21	24
HT-246-10S	7/8-14	24	27
HT-246-12S	1"1/16-12	27	32
HT-246-16S	1"5/16-12	29	41



HT- 247



KOD NO Part Number	HORTUM İÇ ÇAPLARI Hose Int. Dia.	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	SİZE	DN	D 1	D 2	L 1
HT-247-3-6	3/16"	5	3	6	48
HT-247-4-8	1/4"	6	4	8	57
HT-247-4-10	1/4"	6	4	10	58
HT-247-4-10	5/16"	8	5	8	58
HT-247-5-10	5/16"	8	5	10	58
HT-247-5-12	5/16"	8	5	12	58
HT-247-6-10	3/8"	10	6,5	10	58
HT-247-6-12	3/8"	10	6,5	12	61
HT-247-8-10	1/2"	12	9	10	66
HT-247-8-12	1/2"	12	9	12	66



METRİK - BSP

HALKA RAKOR CİVATASI

HT- 248



KOD NO Part Number	T - DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	T	L 1	L 2	1	
HT-248-M-6	M12X1.5	24	6,3	17	
HT-248-M-8	M14X1.5	27	8,3	19	
HT-248-M-10	M16X1.5	28	10	22	
HT-248-M-12	M18X1.5	32	10,6	24	
HT-248-M-14	M20X1.5	35	11	27	
HT-248-M-16	M22X1.5	39	11,6	27	
HT-248-R-2	G1/8-28	19	5,4	14	
HT-248-R-4	G1/4-19	29	8,5	19	
HT-248-R-6	G3/8-19	28	10	22	
HT-248-R-8	G1/2-14	35	11	27	



BLOK ARA BAĞLANTI RAKORLARI

Male coupling BSP / METRIC

HT- 250 L



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm							
ID NO	G	T	D 1	L 1	L 2	L 3	D 2	1	2	PN BAR
HT-250-L-2-6	G1/8-28	M12X1.5	6L	23	8,5	8	14	14	14	315
HT-250-L-2-8	G1/8-28	M14X1.5	8L	23	8,5	8	14	14	17	315
HT-250-L-4-6	G1/4-19	M12X1.5	6L	25	10	12	18	19	14	315
HT-250-L-4-8	G1/4-19	M14X1.5	8L	25	10	12	18	19	17	315
HT-250-L-4-10	G1/4-19	M16X1.5	10L	26	11	12	18	19	19	315
HT-250-L-4-12	G1/4-19	M18X1.5	12L	26	11	12	18	19	22	315
HT-250-L-6-8	G3/8-19	M14X1.5	8L	26	11,5	12	22	22	17	315
HT-250-L-6-10	G3/8-19	M16X1.5	10L	27	12,5	12	22	22	19	315
HT-250-L-6-12	G3/8-19	M18X1.5	12L	27	12,5	12	22	22	22	315
HT-250-L-6-15	G3/8-19	M22X1.5	15L	29	13,5	12	22	24	27	250
HT-250-L-8-8	G1/2-14	M14X1.5	8L	28	13	14	22	27	17	315
HT-250-L-8-10	G1/2-14	M16X1.5	10L	28	13	14	22	27	19	315
HT-250-L-8-12	G1/2-14	M18X1.5	12L	28	13	14	22	27	22	315
HT-250-L-8-15	G1/2-14	M22X1.5	15L	29	14	14	22	27	27	250
HT-250-L-8-18	G1/2-14	M26X1.5	18L	31	14,5	14	22	27	32	250
HT-250-L-8-22	G1/2-14	M30X2	22L	33	16,5	14	26	32	36	250
HT-250-L-12-18	G3/4-14	M26X1.5	18L	31	16,5	14	32	32	41	250
HT-250-L-12-22	G3/4-14	M30X2	22L	33	16,5	16	32	32	41	160
HT-250-L-16-28	G1"-11	M36X2	28L	34	17,5	18	39	41	41	160
HT-250-L-16-35	G1"-11	M45X2	35L	39	17,5	18	39	46	50	160
HT-250-L-20-35	G1"1/4-11	M45X2	35L	39	17,5	20	49	50	50	160
HT-250-L-20-42	G1"1/4-11	M52X2	42L	42	19	20	49	55	60	160
HT-250-L-24-42	G1"1/2-11	M52X2	42L	42	19	22	55	55	55	160



BSP/METRİK 24 TİP S

BLOK ARA BAĞLANTI RAKORLARI

Male coupling BSP / METRIC

HT- 250 S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm							
	ID NO	G	T	D 1	L 1	L 2	L 3	D 2	1	2
HT-250-S-4-6	G1/4-19	M14X1.5	6S	28	13	12	18	19	17	400
HT-250-S-4-8	G1/4-19	M16X1.5	8S	30	15	12	18	19	19	400
HT-250-S-4-10	G1/4-19	M18X1.5	10S	31	14,5	12	18	19	22	400
HT-250-S-4-12	G1/4-19	M20X1.5	12S	33	16,5	12	18	22	24	400
HT-250-S-6-10	G3/8-19	M18X1.5	10S	31	15	12	22	22	22	400
HT-250-S-6-12	G3/8-19	M20X1.5	12S	33	17	12	22	22	24	400
HT-250-S-6-16	G3/8-19	M24X1.5	16S	36	18	12	22	27	30	400
HT-250-S-8-12	G1/2-14	M20X1.5	12S	34	17,5	14	26	27	24	400
HT-250-S-8-16	G1/2-14	M24X1.5	16S	37	18,5	14	26	27	30	400
HT-250-S-8-20	G1/2-14	M30X2	20S	40	18,5	14	26	32	36	400
HT-250-S-12-16	G3/4-14	M24X1.5	16S	39	20,5	16	32	32	30	400
HT-250-S-12-20	G3/4-14	M30X2	20S	42	20,5	16	32	32	36	400
HT-250-S-12-25	G3/4-14	M36X2	25S	47	23	16	32	32	46	250
HT-250-S-16-20	G1"-11	M30X2	20S	42	17,5	18	39	41	36	250
HT-250-S-16-25	G1"-11	M36X2	25S	47	23,5	18	39	41	46	250
HT-250-S-16-30	G1"-11	M42X2	30S	50	23,5	18	39	46	50	160
HT-250-S-20-30	G1"1/4-11	M42X2	30S	50	23,5	20	49	50	50	160
HT-250-S-20-38	G1"1/4-11	M52X2	38S	57	26	20	49	55	60	160
HT-250-S-24-38	G1"1/2-11	M52X2	38S	57	26	22	55	55	60	160



BLOK ARA BAĞLANTI RAKORLARI

Male coupling METRIC / METRIC

HT- 251 L



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm							
ID NO	T	T 1	D 1	L 1	L 2	L 3	D 2	1	2	PN BAR
HT-251-L-6-6	M12X1.5	M12X1.5	6L	25	10	12	17	17	14	315
HT-251-L-6-8	M12X1.5	M14X1.5	8L	25	10	12	17	17	17	315
HT-251-L-6-10	M12X1.5	M16X1.5	10L	26	11	12	17	17	19	315
HT-251-L-6-12	M12X1.5	M18X1.5	12L	26	11	12	17	19	22	315
HT-251-L-8-6	M14X1.5	M12X1.5	6L	25	10	12	19	19	14	315
HT-251-L-8-8	M14X1.5	M14X1.5	8L	25	10	12	19	19	17	315
HT-251-L-8-10	M14X1.5	M16X1.5	10L	26	11	12	19	19	19	315
HT-251-L-8-12	M14X1.5	M18X1.5	12L	27,5	12,5	12	19	19	22	315
HT-251-L-10-6	M16X1.5	M12X1.5	6L	25	11,5	12	21	22	14	315
HT-251-L-10-8	M16X1.5	M14X1.5	8L	26	11,5	12	21	22	17	315
HT-251-L-10-10	M16X1.5	M16X1.5	10L	27	12,5	12	21	22	19	315
HT-251-L-10-12	M16X1.5	M18X1.5	12L	27	12,5	12	21	22	22	315
HT-251-L-10-15	M16X1.5	M22X1.5	15L	29	13,5	12	21	24	27	250
HT-251-L-12-6	M18X1.5	M12X1.5	6L	24,5	11,5	12	23	24	14	315
HT-251-L-12-8	M18X1.5	M14X1.5	8L	26	11,5	12	23	24	19	315
HT-251-L-12-10	M18X1.5	M16X1.5	10L	27	12,5	12	23	24	19	315
HT-251-L-12-12	M18X1.5	M18X1.5	12L	27	12,5	12	23	24	22	315
HT-251-L-12-15	M18X1.5	M22X1.5	15L	29	13,5	12	23	24	27	315
HT-251-L-12-18	M18X1.5	M26X1.5	18L	31	14,5	12	23	27	32	250
HT-251-L-15-8	M22X1.5	M14X1.5	8L	21	12	14	27	27	17	250
HT-251-L-15-10	M22X1.5	M16X1.5	10L	29	12,5	14	27	27	19	315
HT-251-L-15-12	M22X1.5	M18X1.5	12L	29	14	14	27	27	22	315
HT-251-L-15-15	M22X1.5	M22X1.5	15L	30	15	14	27	27	27	250
HT-251-L-15-18	M22X1.5	M26X1.5	18L	31	14,5	14	27	27	32	315
HT-251-L-18-22	M26X1.5	M30X2	22L	33	16,5	16	31	32	36	160
HT-251-L-20-28	M33X1.5	M36X2	28L	34	17,5	18	39	41	41	160
HT-251-L-30-35	M42X1.5	M45X2	35L	39	17,5	20	49	50	50	160
HT-251-L-36-42	M48X1.5	M52X2	42L	42	19	22	55	55	60	160



METRİK/METRİK 24 TİP S

BLOK ARA BAĞLANTI RAKORLARI

Male coupling METRIC / METRIC

HT- 251 S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm							
	ID NO	G	T	D 1	L 1	L 2	L 3	D 2	1	2
HT-251-S-6-6	M12X1.5	M14X1.5	6S	28	13	12	17	17	17	400
HT-251-S-8-8	M14X1.5	M16X1.5	8S	30	15	12	19	19	19	400
HT-251-S-10-10	M16X1.5	M18X1.5	10S	31	15	12	21	22	22	400
HT-251-S-10-12	M16X1.5	M20X1.5	12S	33	17	12	21	22	24	400
HT-251-S-12-12	M18X1.5	M20X1.5	12S	33	17	12	23	24	24	400
HT-251-S-15-12	M22X1.5	M20X1.5	12S	33	18,5	14	27	27	24	400
HT-251-S-12-16	M18X1.5	M24X1.5	16S	37	18,5	12	23	27	30	400
HT-251-S-15-16	M22X1.5	M24X1.5	16S	37	18,5	14	27	27	30	400
HT-251-S-16-20	M24X1.5	M30X2	20S	42	20,5	16	32	32	36	400
HT-251-S-20-20	M30X2	M30X2	20S	42	20,5	16	32	32	36	400



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

BSP/METRİK 24 TİP L

BORU BAĞLANTI TERS RAKOR

Stanpipe adaptor BSP / METRIC

HT- 252 L



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm						
	ID NO	G	T	D 1	L 1	L 2	D 2	1	2
HT-252-L-2-6	G1/8-28	M12X1.5	6L	24,5	8	14	14	14	315
HT-252-L-4-6	G1/4-19	M12X1.5	6L	24,5	8	14	14	14	315
HT-252-L-4-8	G1/4-19	M14X1.5	8L	29,5	12	19	19	17	315
HT-252-L-4-10	G1/4-19	M16X1.5	10L	27,5	12	18	19	19	315
HT-252-L-4-12	G1/4-19	M18X1.5	12L	27,5	12	18	19	19	315
HT-252-L-6-6	G3/8-19	M12X1.5	6L	34	8	22	22	14	315
HT-252-L-6-8	G3/8-19	M14X1.5	8L	34	12	22	22	17	315
HT-252-L-6-10	G3/8-19	M16X1.5	10L	34	12	22	22	19	315
HT-252-L-6-12	G3/8-19	M18X1.5	12L	34	12	22	22	22	315
HT-252-L-8-10	G1/2-14	M16X1.5	10L	32	12	26	27	19	315
HT-252-L-8-12	G1/2-14	M18X1.5	12L	32	12	26	27	22	315
HT-252-L-8-15	G1/2-14	M22X1.5	15L	32	14	26	27	27	250
HT-252-L-8-18	G1/2-14	M26X1.5	18L	31,5	14	26	27	32	250
HT-252-L-8-22	G1/2-14	M30X2	22L	32	16	26	27	36	160
HT-252-L-12-18	G3/4-14	M26X1.5	18L	32,5	14	32	32	32	250
HT-252-L-12-22	G3/4-14	M30X2	22L	32,5	16	32	32	36	160
HT-252-L-16-28	G1"-11	M36X2	28L	35	18	39	41	41	160
HT-252-L-20-35	G1"1/4-11	M45X2	35L	42,5	20	49	50	50	160
HT-252-L-24-42	G1"1/2-11	M52X2	42L	46,5	22	55	60	60	160



BSP/METRİK 24 TİP S

BLOK BAĞLANTI TERS RAKOR

Stanpipe adaptor BSP / METRIC

HT- 252 S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm						
	ID NO	G	T	D 1	L 1	L 2	D 2	1	2
HT-252-S-4-6	G1/4-19	M14X1.5	6S	27	12	18	19	17	630
HT-252-S-4-8	G1/4-19	M16X1.5	8S	29,5	12	18	19	19	630
HT-252-S-6-10	G3/8-19	M18X1.5	10S	32	12	22	22	22	630
HT-252-S-6-12	G3/8-19	M20X1.5	12S	34	12	22	22	24	630
HT-252-S-8-14	G1/2-14	M22X1.5	14S	36,5	14	26	27	27	630
HT-252-S-8-16	G1/2-14	M24X1.5	16S	37	14	26	27	30	400
HT-252-S-8-20	G1/2-14	M30X2	20S	57	14	41	41	36	400
HT-252-S-12-20	G3/4-14	M30X2	20S	43	16	32	32	36	400
HT-252-S-16-20	G1"-11	M36X2	20S	61	18	41	41	36	400
HT-252-S-16-25	G1"-11	M36X2	25S	48	18	39	41	46	400
HT-252-S-20-30	G1"1/4-11	M42X2	30S	51	20	49	50	50	250
HT-252-S-24-38	G1"1/2-11	M52X2	38S	60	22	55	55	60	250



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

METRİK 24 TİP L/S

ORANTILI NİPEL

Straight coupling METRIC / METRIC

HT-253 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	T 1	T 2	D 1	D 2	L 1	1	PN BAR
HT-253-L-8-6	M14X1.5	M12X1.5	8L	6L	25	14	315
HT-253-L-10-8	M16X1.5	M14X1.5	10L	8L	26	17	315
HT-253-L-12-10	M18X1.5	M16X1.5	12L	10L	28	19	315
HT-253-L-15-10	M22X1.5	M16X1.5	15L	10L	29	24	315
HT-253-L-15-12	M22X1.5	M18X1.5	15L	12L	29	24	315
HT-253-L-18-10	M26X1.5	M16X1.5	18L	10L	30	27	315
HT-253-L-18-12	M26X1.5	M18X1.5	18L	12L	30	27	315
HT-253-L-22-18	M30X2	M26X1.5	22L	18L	33	32	160
HT-253-L-28-18	M36X2	M26X1.5	28L	18L	34	41	160
HT-253-L-35-22	M45X2	M30X2	35L	22L	39	46	160
HT-253-S-12-10	M20X1.5	M18X1.5	12S	10S	34	22	630
HT-253-S-16-10	M24X1.5	M18X1.5	16S	10S	36	27	400
HT-253-S-20-10	M30X2	M18X1.5	20S	10S	40	32	400
HT-253-S-25-20	M36X2	M30X2	35S	20S	48	45	400
HT-253-S-30-16	M42X2	M24X1.5	30S	16S	50	46	400
HT-253-S-30-20	M42X2	M30X2	30S	20S	50	46	400
HT-253-S-30-25	M42X2	M36X2	30S	25S	52	46	315



BSP/METRİK 24 TİP S

BORU BAĞLANTI TERS RAKOR - PİMLİ

Pipe connection reverse union - Thrust wire

HT- 254 S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm						
	ID NO	G	T	D 1	D 2	L 1	L 2	1	2
HT-254-S-4-6	G1/4-19	M14X1.5	6S	19	12	27	19	17	630
HT-254-S-4-8	G1/4-19	M16X1.5	8S	19	12	29,5	19	19	630
HT-254-S-6-10	G3/8-19	M18X1.5	10S	22	12	32	22	22	630
HT-254-S-6-12	G3/8-19	M20X1.5	12S	22	12	24	22	24	630
HT-254-S-8-14	G1/2-14	M22X1.5	14S	27	14	36,5	27	27	630
HT-254-S-8-16	G1/2-14	M24X1.5	16S	27	14	37	27	30	400
HT-254-S-8-20	G1/2-14	M30X2	20S	27	14	41	27	36	400
HT-254-S-12-20	G3/4-14	M30X2	20S	32	16	43	32	36	400
HT-254-S-16-20	G1"-11	M30X2	20S	41	18	45	41	36	400
HT-254-S-16-25	G1"-11	M36X2	25S	41	18	48	41	46	400
HT-254-S-20-30	G1"1/4-11	M42X2	30S	50	20	50	50	50	400
HT-254-S-24-38	G1"1/2-11	M52X2	38S	55	22	60	55	60	315



BSP/METRİK 24 TİP L

BORU BAĞLANTI TERS RAKOR - PİMLİ

Pipe connection reverse union - Thrust wire

HT- 254 L



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm						
	ID NO	G	T	D 1	D 2	L 1	L 2	1	2
HT-254-L-2-6	G1/8-28	M12X1.5	6L	14	8	24,5	14	14	315
HT-254-L-4-6	G1/4-19	M12X1.5	6L	19	12	24,5	19	14	315
HT-254-L-4-8	G1/4-19	M14X1.5	8L	19	12	27,5	19	17	315
HT-254-L-4-10	G1/4-19	M16X1.5	10L	19	12	27,5	19	19	315
HT- 254-L-4-12	G1/4-19	M18X1.5	12L	19	12	27,5	19	22	315
HT-254-L-6-6	G3/8-19	M12X1.5	6L	22	12	24,5	22	14	315
HT-254-L-6-8	G3/8-19	M14X1.5	8L	22	12	24,5	22	17	315
HT-254-L-6-10	G3/8-19	M16X1.5	10L	22	12	27,5	22	19	315
HT-254-L-6-12	G3/8-19	M18X1.5	12L	34	12	34	22	22	315
HT-254-L-8-10	G1/2-14	M16X1.5	10L	23	14	29,5	27	19	315
HT-254-L-8-12	G1/2-14	M18X1.5	12L	27	14	29,5	27	22	315
HT-254-L-8-15	G1/2-14	M22X1.5	15L	27	14	32	27	27	315
HT-254-L-8-18	G1/2-14	M26X1.5	18L	27	14	31,5	27	32	315
HT-254-L-8-22	G1/2-14	M30X2	22L	27	14	31,5	27	36	315
HT-254-L-12-18	G3/4-14	M26X1.5	18L	32	14	29,5	32	32	160
HT-254-L-12-22	G3/4-14	M30X2	22L	32	16	32,5	32	36	160
HT-254-L-16-28	G1"-11	M66X2	28L	41	18	35	41	41	160
HT-254-L-20-35	G1"1/4-11	M45X2	35L	50	20	42,5	50	50	160
HT-254-L-24-42	G1"1/2-11	M52X2	42L	55	22	46,5	55	60	160



NPT/METRİK 24 TİP L

BLOK ARA BAĞLANTI DİŞLİ DİRSEK

Male elbow NPT / METRIC

HT- 260 L



KOD NO Part Number	DİŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm						
	ID NO	G	T	D 1	L 1	L 2	L 3	1	2
HT-260-L-2-6	G1/8-28	M12X1.5	6L	31	16	26	14	14	315
HT-260-L-2-8	G1/8-28	M14X1.5	8L	29	14	26	14	17	315
HT-260-L-4-6	G1/4-19	M12X1.5	6L	31	16	26	14	14	315
HT-260-L-4-8	G1/4-19	M14X1.5	8L	29	14	26	14	17	315
HT-260-L-4-10	G1/4-19	M16X1.5	10L	30	15	27	17	19	315
HT-260-L-4-12	G1/4-19	M18X1.5	12L	30	17	28	19	22	315
HT-260-L-6-8	G3/8-19	M14X1.5	8L	32	17	28	19	17	315
HT-260-L-6-10	G3/8-19	M16X1.5	10L	32	17	28	17	19	315
HT-260-L-6-12	G3/8-19	M22X1.5	12L	36	21	24	19	27	315
HT-260-L-6-15	G3/8-19	M18X1.5	15L	32	17	28	19	22	315
HT-260-L-8-10	G1/2-14	M16X1.5	10L	36	21	34	24	19	315
HT-260-L-8-12	G1/2-14	M18X1.5	12L	36	21	34	19	22	315
HT-260-L-8-15	G1/2-14	M22X1.5	15L	36	21	34	19	27	315
HT-260-L-8-18	G1/2-14	M26X1.5	18L	36	21	34	19	32	315
HT-260-L-12-18	G3/4-14	M26X1.5	18L	44	21	34	27	32	315
HT-260-L-12-22	G3/4-14	M30X2	22L	44	27,5	42	27	36	160
HT-260-L-16-28	G1"-11	M36X2	28L	47	30,5	48	36	41	160
HT-260-L-20-35	G1"1/4-11	M45X2	35L	56	34,5	54	41	50	160
HT-260-L-24-42	G1"1/2-11	M52X2	42L	62	39	61	50	60	160



NPT/METRİK 24 TİP L

BLOK ARA BAĞLANTI DİŞLİ DİRSEK

Male elbow NPT / METRIC

HT- 260 S



KOD NO Part Number	DİŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm						
ID NO	G	T	D 1	L 1	L 2	D 2	1	2	PN BAR
HT-260-S-4-6	G1/4-19	M14X1.5	6S	31	16	26	14	17	400
HT-260-S-4-8	G1/4-19	M16X1.5	8S	32	17	27	17	19	400
HT-260-S-6-10	G3/8-19	M18X1.5	10S	34	17,5	28	19	22	400
HT-260-S-6-12	G3/8-19	M20X1.5	12S	38	21,5	28	22	24	400
HT-260-S-8-10	G1/2-14	M18X1.5	10S	43	24,5	36	19	22	400
HT-260-S-8-12	G1/2-14	M20X1.5	12S	43	24,5	36	22	24	400
HT-260-S-8-16	G1/2-14	M24X1.5	16S	43	24,5	36	24	30	400
HT-260-S-8-20	G1/2-14	M30X2	20S	54	30	42	36	36	400
HT-260-S-12-16	G3/4-14	M24X1.5	16S	54	24,5	36	36	30	400
HT-260-S-12-20	G3/4-14	M30X2	20S	54	30	42	36	36	400
HT-260-S-16-20	G1"-11	M30X2	20S	54	30	42	36	36	400
HT-260-S-16-25	G1"-11	M36X2	25S	54	30	48	36	46	250
HT-260-S-20-25	G1"1/4-11	M36X2	25S	62	35,5	54	46	46	250
HT-260-S-20-30	G1"1/4-11	M42X2	30S	62	35,5	54	46	50	160
HT-260-S-24-38	G1"1/2-11	M52X2	38S	72	41	61	50	60	160
HT-260-S-24-38	G1"1/2-11	M52X2	38S	72	41	61	50	60	160



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

HT-270 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm					
ID NO	T 1	T 2	D 1	L 1	L 2	1	2	PN BAR
HT-270-L-6-6	M12X1.5	M12X1.5	6L	39	10	12	14	315
HT-270-L-8-8	M14X1.5	M14X1.5	8L	40	11	14	17	315
HT-270-L-10-10	M16X1.5	M16X1.5	10L	42	13	17	19	315
HT-270-L-12-12	M18X1.5	M18X1.5	12L	43	14	19	22	315
HT-270-L-15-15	M22X1.5	M22X1.5	15L	46	16	24	27	315
HT-270-L-18-18	M26X1.5	M26X1.5	18L	48	16	27	32	315
HT-270-L-22-22	M30X2	M30X2	22L	52	20	32	36	160
HT-270-L-28-28	M36X2	M36X2	28L	54	21	41	41	160
HT-270-L-35-35	M45X2	M45X2	35L	63	20	46	50	160
HT-270-L-42-42	M52X2	M52X2	42L	66	21	55	60	160
HT-270-S-6-6	M14X1.5	M14X1.5	6S	45	16	14	17	630
HT-270-S-8-8	M16X1.5	M16X1.5	8S	47	18	17	19	630
HT-270-S-10-10	M18X1.5	M18X1.5	10S	49	17	19	22	630
HT-270-S-12-12	M20X1.5	M20X1.5	12S	51	19	22	24	630
HT-270-S-16-16	M24X1.5	M24X1.5	16S	57	21	27	30	400
HT-270-S-20-20	M30X2	M30X2	20S	66	23	32	36	400
HT-270-S-25-25	M36X2	M36X2	25S	74	26	36	46	400
HT-270-S-30-30	M42X2	M42X2	30S	80	27	46	50	400
HT-270-S-38-38	M52X2	M52X2	38S	90	29	55	60	315



METRİK 24 TİP L/S

BORU BAĞLANTI DİRSEKLERİ

Elbow METRIC / METRIC

HT-280 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm					
ID NO	T 1	T 2	D 1	L 1	L 2	1	2	PN BAR
HT-280-L-6-6	M12X1.5	M12X1.5	6L	19	12	12	14	315
HT-280-L-8-8	M14X1.5	M14X1.5	8L	21	14	14	17	315
HT-280-L-10-10	M16X1.5	M16X1.5	10L	22	15	17	19	315
HT-280-L-12-12	M18X1.5	M18X1.5	12L	24	17	19	22	315
HT-280-L-15-15	M22X1.5	M22X1.5	15L	28	21	19	27	250
HT-280-L-18-18	M26X1.5	M26X1.5	18L	31	24	24	32	250
HT-280-L-22-22	M30X2	M30X2	22L	35	27,5	27	36	160
HT-280-L-28-28	M36X2	M36X2	28L	38	30,5	36	41	160
HT-280-L-35-35	M45X2	M45X2	35L	56	34,5	41	50	160
HT-280-L-42-42	M52X2	M52X2	42L	51	40	50	60	160
HT-280-S-6-6	M14X1.5	M14X1.5	6S	23	16	14	17	400
HT-280-S-8-8	M16X1.5	M16X1.5	8S	24	17	17	19	400
HT-280-S-10-10	M18X1.5	M18X1.5	10S	34	17,5	19	22	400
HT-280-S-12-12	M20X1.5	M20X1.5	12S	38	21,5	22	24	400
HT-280-S-16-16	M24X1.5	M24X1.5	16S	43	24,5	24	30	400
HT-280-S-20-20	M30X2	M30X2	20S	48	26,5	27	36	400
HT-280-S-25-25	M36X2	M36X2	25S	54	30	36	46	250
HT-280-S-30-30	M42X2	M42X2	30S	62	35,5	41	50	160
HT-280-S-38-38	M52X2	M52X2	38S	72	41	50	60	160



METRİK 24 TİP L/S

BORU BAĞLANTI T RAKOR

T fitting METRIC

HT-290 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm					
ID NO	T	D 1	L 1	L 2	1	2	PN BAR
HT-290-L-6	M12X1.5	6L	27	12	12	14	315
HT-290-L-8	M14X1.5	8L	29	14	14	17	315
HT-290-L-10	M16X1.5	10L	30	15	17	19	315
HT-290-L-12	M18X1.5	12L	32	17	19	22	315
HT-290-L-15	M22X1.5	15L	36	21	19	27	250
HT-290-L-18	M26X1.5	18L	40	23,5	24	32	250
HT-290-L-22	M30X2	22L	44	27,5	27	36	160
HT-290-L-28	M36X2	28L	47	30,5	36	41	160
HT-290-L-35	M45X2	35L	56	34,5	41	50	160
HT-290-L-42	M52X2	42L	63	40	50	60	160
HT-290-S-6	M14X1.5	6S	31	16	14	17	400
HT-290-S-8	M16X1.5	8S	32	17	17	19	400
HT-290-S-10	M18X1.5	10S	34	17,5	19	22	400
HT-290-S-12	M20X1.5	12S	38	21,5	22	24	400
HT-290-S-16	M24X1.5	16S	43	24,5	24	30	400
HT-290-S-20	M30X2	20S	48	26,5	27	36	400
HT-290-S-25	M36X2	25S	54	30	36	46	250
HT-290-S-30	M42X2	30S	62	35,5	41	50	160
HT-290-S-38	M52X2	38S	72	41	50	60	160



METRİK 24 TİP L/S

BORU BAĞLANTI KURUVA

CROSS / METRIC

HT-300 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm					
ID NO	T	D 1	L 1	L 2	1	2	PN BAR
HT-290-L-6	M12X1.5	6L	27	12	12	12	315
HT-290-L-8	M14X1.5	8L	29	14	14	12	315
HT-290-L-10	M16X1.5	10L	30	15	17	14	315
HT-290-L-12	M18X1.5	12L	32	17	19	17	315
HT-290-L-15	M22X1.5	15L	36	21	19	27	250
HT-290-L-18	M26X1.5	18L	40	23,5	24	32	250
HT-290-L-22	M30X2	22L	44	27,5	27	36	160
HT-290-L-28	M36X2	28L	47	30,5	36	41	160
HT-290-L-35	M45X2	35L	56	34,5	41	50	160
HT-290-L-42	M52X2	42L	63	40	50	60	400
HT-290-S-6	M14X1.5	6S	31	16	14	12	400
HT-290-S-8	M16X1.5	8S	32	17	14	19	400
HT-290-S-10	M18X1.5	10S	34	17,5	17	22	400
HT-290-S-12	M20X1.5	12S	38	21,5	17	24	400
HT-290-S-16	M24X1.5	16S	43	24,5	24	30	400
HT-290-S-20	M30X2	20S	48	26,5	27	36	400
HT-290-S-25	M36X2	25S	54	30	36	46	400
HT-290-S-30	M42X2	30S	62	35,5	41	50	160
HT-290-S-38	M52X2	38S	72	41	50	60	160



METRİK 24 TİP L/S

BORU BAĞLANTI TERS DİRSEK

Adjustable male stud elbow METRIC

HT-310 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm						
ID NO	T 1	T 2	D 1	L 1	L 2	L 3	1	2	PN BAR
HT-310-L-6-6	M12X1.5	M12X1.5	6L	27	26	12	12	14	315
HT-310-L-8-8	M14X1.5	M14X1.5	8L	29	27,5	14	12	17	315
HT-310-S-10-10	M16X1.5	M16X1.5	10L	30	29	15	14	19	315
HT-310-L-12-12	M18X1.5	M18X1.5	12L	32	26,5	17	17	22	315
HT-310-L-15-15	M22X1.5	M22X1.5	15L	36	32,5	21	19	27	250
HT-310-L-18-18	M26X1.5	M26X1.5	18L	40	35,5	23,5	24	32	250
HT-310-L-22-22	M30X2	M30X2	22L	44	38,5	27,5	27	36	160
HT-310-L-28-28	M36X2	M36X2	28L	47	41,5	30,5	36	41	160
HT-310-L-35-35	M45X2	M45X2	35L	56	51	34,5	41	50	160
HT-310-L-42-42	M52X2	M52X2	42L	63	56	40	50	60	160
HT-310-S-6-6	M14X1.5	M14X1.5	6S	31	27	16	12	17	400
HT-310-S-8-8	M16X1.5	M16X1.5	8S	32	27,5	17	14	19	400
HT-310-S-10-10	M18X1.5	M18X1.5	10S	34	30	17,5	17	22	400
HT-310-S-12-12	M20X1.5	M20X1.5	12S	38	31	21,5	17	24	400
HT-310-S-16-16	M24X1.5	M24X1.5	16S	43	36,5	24,5	24	30	400
HT-310-S-20-20	M30X2	M30X2	20S	48	44,5	26,5	27	36	400
HT-310-S-25-25	M36X2	M36X2	25S	54	50	30	36	46	250
HT-310-S-30-30	M42X2	M42X2	30S	62	55	35,5	41	50	160
HT-310-S-38-38	M52X2	M52X2	38S	72	63	41	50	60	160



METRİK 24 TİP L/S

BORU BAĞLANTI YAN BACAĞ - T

Adjustable male METRIC

HT-320 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm						
ID NO	T 1	D 1	L 1	L 2	L 3	1	2	PN BAR
HT-320-L-6	M12X1.5	6L	27	26	12	12	14	315
HT-320-L-8	M14X1.5	8L	29	27,5	14	12	17	315
HT-320-L-10	M16X1.5	10L	30	29	15	14	19	315
HT-320-L-12	M18X1.5	12L	32	26,5	17	17	22	315
HT-320-L-15	M22X1.5	15L	36	32,5	21	19	27	250
HT-320-L-18	M26X1.5	18L	40	35,5	23,5	24	32	250
HT-320-L-22	M30X2	22L	44	38,5	27,5	27	36	160
HT-320-L-28	M36X2	28L	47	41,5	30,5	36	41	160
HT-320-L-35	M45X2	35L	56	51	34,5	41	50	160
HT-320-L-42	M52X2	42L	63	56	40	50	60	160
HT-320-S-6	M14X1.5	6S	31	27	16	12	17	400
HT-320-S-8	M16X1.5	8S	32	27,5	17	14	19	400
HT-320-S-10	M18X1.5	10S	34	30	17,5	17	22	400
HT-320-S-12	M20X1.5	12S	38	31	21,5	17	24	400
HT-320-S-16	M24X1.5	16S	43	36,5	24,5	24	30	400
HT-320-S-20	M30X2	20S	48	44,5	26,5	27	36	400
HT-320-S-25	M36X2	25S	54	50	30	36	46	400
HT-320-S-30	M42X2	30S	62	55	35,5	41	50	160
HT-320-S-38	M52X2	38S	72	63	41	50	60	160



METRİK 24 TİP L/S

BORU BAĞLANTI ORTA BACAĞI T

Adjustable equal METRIC

HT-330 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm						
ID NO	T 1	D 1	L 1	L 2	L 3	1	2	PN BAR
HT-330-L-6	M12X1.5	6L	27	26	12	12	14	315
HT-330-L-8	M14X1.5	8L	29	27,5	14	12	17	315
HT-330-L-10	M16X1.5	10L	30	29	15	14	19	315
HT-330-L-12	M18X1.5	12L	32	26,5	17	17	22	315
HT-330-L-15	M22X1.5	15L	36	32,5	21	19	27	250
HT-330-L-18	M26X1.5	18L	40	35,5	23,5	24	32	250
HT-330-L-22	M30X2	22L	44	38,5	27,5	27	36	160
HT-330-L-28	M36X2	28L	47	41,5	30,5	36	41	160
HT-330-L-35	M45X2	35L	56	51	34,5	41	50	160
HT-330-L-42	M52X2	42L	63	56	40	50	60	160
HT-330-S-6	M14X1.5	6S	31	27	16	12	17	400
HT-330-S-8	M16X1.5	8S	32	27,5	17	14	19	400
HT-330-S-10	M18X1.5	10S	34	30	17,5	17	22	400
HT-330-S-12	M20X1.5	12S	38	31	21,5	17	24	400
HT-330-S-16	M24X1.5	16S	43	36,5	24,5	24	30	400
HT-330-S-20	M30X2	20S	48	44,5	26,5	27	36	400
HT-330-S-25	M36X2	25S	54	50	30	36	46	400
HT-330-S-30	M42X2	30S	62	55	35,5	41	50	160
HT-330-S-38	M52X2	38S	72	63	41	50	60	160



METRİK 24 TİP L/S

BORU BAĞLANTI TERS DİRSEK - PİMLİ

Adjustable male stud elbow - Thrust wire

HT-331 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm						
ID NO	T 1	D 1	L 1	L 2	L 3	1	2	PN BAR
HT-331-L-6-6	M12X1.5	6L	19	26	26	12	14	315
HT-331-L-8-8	M14X1.5	8L	21	27,5	14	12	17	315
HT-331-L-10-10	M16X1.5	10L	22	29	15	14	19	315
HT-331-L-12-12	M18X1.5	12L	24	26,5	17	17	22	315
HT-331-L-15-15	M22X1.5	15L	28	32,5	21	19	27	315
HT-331-L-18-18	M26X1.5	18L	31	35,5	23,5	24	32	160
HT-331-L-22-22	M30X2	22L	35	38,5	27,5	27	36	160
HT-331-L-28-28	M36X2	28L	38	41,5	30,5	36	41	160
HT-331-L-35-35	M45X2	35L	45	51	34,5	41	50	160
HT-331-L-42-42	M52X2	42L	51	56	40	50	60	160
HT-331-S-6-6	M14X1.5	6S	23	27	16	12	17	630
HT-331-S-8-8	M16X1.5	8S	24	27,5	17	14	19	630
HT-331-S-10-10	M18X1.5	10S	25	30	17,5	17	22	630
HT-331-S-12-12	M20X1.5	12S	29	31	21,5	17	24	630
HT-331-S-16-16	M24X1.5	16S	33	36,5	24,5	24	30	400
HT-331-S-20-20	M30X2	20S	37	44,5	26,5	27	36	400
HT-331-S-25-25	M36X2	25S	42	50	30	36	46	400
HT-331-S-30-30	M42X2	30S	49	55	35,5	41	50	400
HT-331-S-38-38	M52X2	38S	57	63	41	50	60	315



METRİK 24 TİP L/S

BORU BAĞLANTI ORTA BACAĞ T - PİMLİ

Adjustable equal - Thrust wire

HT-332 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm						
ID NO	T 1	D 1	L 1	L 2	L 3	1	2	PN BAR
HT-332-L-6-6	M12X1.5	6L	19	26	12	12	14	315
HT-332-L-8-8	M14X1.5	8L	21	27,5	14	12	17	315
HT-332-L-10-10	M16X1.5	10L	22	29	15	14	19	315
HT-332-L-12-12	M18X1.5	12L	24	26,5	17	17	22	315
HT-332-L-15-15	M22X1.5	15L	28	32,5	21	19	27	315
HT-332-L-18-18	M26X1.5	18L	31	35,5	23,5	24	32	160
HT-332-L-22-22	M30X2	22L	35	38,5	27,5	27	36	160
HT-332-L-28-28	M36X2	28L	38	41,5	30,5	36	41	160
HT-332-L-35-35	M45X2	35L	45	51	34,5	41	50	160
HT-332-L-42-42	M52X2	42L	51	56	40	50	60	160
HT-332-S-6-6	M14X1.5	6S	23	27	16	12	17	630
HT-332-S-8-8	M16X1.5	8S	24	27,5	17	14	19	630
HT-332-S-10-10	M18X1.5	10S	25	30	17,5	17	22	630
HT-332-S-12-12	M20X1.5	12S	29	31	21,5	17	24	630
HT-332-S-16-16	M24X1.5	16S	33	36,5	24,5	24	30	400
HT-332-S-20-20	M30X2	20S	37	44,5	26,5	27	36	400
HT-332-S-25-25	M36X2	25S	42	50	30	36	46	400
HT-332-S-30-30	M42X2	30S	49	55	35,5	41	50	400
HT-332-S-38-38	M52X2	38S	57	63	41	50	60	315



METRİK 24 TİP L/S

BORU BAĞLANTI YAN BACAĞI T - PİMLİ

Adjustable male - Thrust wire

HT-333 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm						
ID NO	T 1	D 1	L 1	L 2	L 3	1	2	PN BAR
HT-333-L-6-6	M12X1.5	6L	26	19	12	12	14	315
HT-333-L-8-8	M14X1.5	8L	27,5	21	14	12	17	315
HT-333-L-10-10	M16X1.5	10L	29	22	15	14	19	315
HT-333-L-12-12	M18X1.5	12L	26,5	24	17	17	22	315
HT-333-L-15-15	M22X1.5	15L	32,5	28	21	19	27	315
HT-333-L-18-18	M26X1.5	18L	35,5	31	23,5	24	32	160
HT-333-L-22-22	M30X2	22L	38,5	35	27,5	27	36	160
HT-333-L-28-28	M36X2	28L	41,5	38	30,5	36	41	160
HT-333-L-35-35	M45X2	35L	51	45	34,5	41	50	160
HT-333-L-42-42	M52X2	42L	56	51	40	50	60	160
HT-333-S-6-6	M14X1.5	6S	27	23	16	17	17	630
HT-333-S-8-8	M16X1.5	8S	27,5	24	17	14	19	630
HT-333-S-10-10	M18X1.5	10S	30	25	17,5	17	22	630
HT-333-S-12-12	M20X1.5	12S	31	29	21,5	17	24	630
HT-333-S-16-16	M24X1.5	16S	36,5	33	24,5	24	30	400
HT-333-S-20-20	M30X2	20S	44,5	37	26,5	27	36	400
HT-333-S-25-25	M36X2	25S	50	42	30	36	46	400
HT-333-S-30-30	M42X2	30S	55	49	35,5	41	50	400
HT-333-S-38-38	M52X2	38S	63	57	41	50	60	315



METRİK 24 TİP L/S

BORU BAĞLANTI TERS DİRSEK - PİMLİ 45

Adjustable male stud elbow - Thrust wire 45°

HT-334 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm						
ID NO	T 1	D 1	L 1	L 2	L 3	1	2	PN BAR
HT-334-L-6-6	M12X1.5	6L	16	26	9	14	14	315
HT-334-L-8-8	M14X1.5	8L	19	27,5	12	14	17	315
HT-334-L-10-10	M16X1.5	10L	19	29	12	19	19	315
HT-334-L-12-12	M18X1.5	12L	21	29,5	14	19	22	315
HT-334-L-15-15	M22X1.5	15L	24	32,5	17	22	27	315
HT-334-L-18-18	M26X1.5	18L	24	35,5	16,5	27	32	160
HT-334-L-22-22	M30X2	22L	26	38,5	18,5	30	36	160
HT-334-L-28-28	M36X2	28L	30,5	41,5	23	36	41	160
HT-334-L-35-35	M45X2	35L	37	51	26,5	50	50	160
HT-334-L-42-42	M52X2	42L	37	56	26	50	60	160
HT-334-S-6-6	M14X1.5	6S	16	27	9	14	17	630
HT-334-S-8-8	M16X1.5	8S	19	27,5	12	19	19	630
HT-334-S-10-10	M18X1.5	10S	21	30	13,5	19	22	630
HT-334-S-12-12	M20X1.5	12S	24	31	16,5	19	24	630
HT-334-S-16-16	M24X1.5	16S	24	36,5	16,5	19	30	400
HT-334-S-20-20	M30X2	20S	26,5	44,5	16	27	36	400
HT-334-S-25-25	M36X2	25S	30,5	50	18,5	36	46	400
HT-334-S-30-30	M42X2	30S	37	55,5	23,5	50	50	400
HT-334-S-38-38	M52X2	38S	37	63	21	50	60	315



METRİK 24 TİP L/S

DÖNERLİ DİRSEK / METRİK

Banjo coupling with allow screw and elastomer seal

HT-340 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm										
ID NO	G	T	D 1	L 1	L 2	L 3	L 4	L 5	L 6	1	2	3	PN BAR
HT-340-L-2-6	G1/8-19	M12X1.5	6L	27	12	24	10,5	8	14	17	17	14	315
HT-340-L-4-8	G1/4-19	M14X1.5	8L	29	14,5	30	14	12	18	19	22	17	315
HT-340-L-4-10	G1/4-19	M16X1.5	10L	30	15,5	30	14	12	18	19	22	19	315
HT-340-L-6-12	G3/8-19	M18X1.5	12L	33	18	36	16,5	12	22	24	27	22	315
HT-340-L-8-15	G1/2-14	M22X1.5	15L	37	21,5	45	21,5	14	26	30	32	27	315
HT-340-L-8-18	G1/2-14	M26X1.5	18L	37	21	45	21,5	14	26	30	32	32	315
HT-340-L-12-22	G3/4-14	M30X2	22L	44	27,5	53	24	16	32	36	41	36	160
HT-340-L-16-28	G1"-11	M36X2	28L	49	32	66	30,5	18	39	46	50	41	160
HT-340-L-20-35	G1"1/4-11	M45X2	35L	58	36	76	35,5	20	49	55	60	50	160
HT-340-S-4-6	G1/4-19	M14X1.5	6S	31	16,5	30	14	12	18	19	22	17	630
HT-340-S-4-8	G1/4-19	M16X1.5	8S	31	16,5	30	14	12	18	19	22	19	630
HT-340-S-6-10	G3/8-19	M18X1.5	10S	35	18,5	36	16,5	12	22	24	27	22	630
HT-340-S-6-12	G3/8-19	M20X1.5	12S	35	18,5	36	16,5	12	22	24	27	24	630
HT-340-S-8-16	G1/2-14	M24X1.5	16S	40	22	45	21,5	14	26	30	32	30	400
HT-340-S-12-20	G3/4-14	M30X2	20S	48	26,5	53	24	16	32	36	41	36	400
HT-340-S-16-25	G1"-11	M36X2	25S	56	31,5	66	30,5	18	39	46	50	46	400
HT-340-S-20-30	G1"1/4-11	M42X2	30S	64	27	76	35,5	20	49	55	60	50	400



BORU BAĞLANTI PERDE GEÇİŞ NİPELİ

Bulkhead connection / METRIC

HT-350 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm								
ID NO	T 1	T 2	D 1	L 1	L 2	L 3	L 4	1	2	3	PN BAR
HT-350-L-6-6	M12X1.5	M12X1.5	6L	42	22	27	7	17	14	17	315
HT-350-L-8-8	M14X1.5	M14X1.5	8L	42	23	27	8	19	17	19	315
HT-350-L-10-10	M16X1.5	M16X1.5	10L	43	25	28	10	22	19	22	315
HT-350-L-12-12	M18X1.5	M18X1.5	12L	44	25	29	10	28	22	24	315
HT-350-L-15-10	M22X1.5	M22X1.5	10L	35	19	28	12	27	22	22	315
HT-350-L-15-12	M22X1.5	M22X1.5	12L	36	19	29	12	27	24	24	315
HT-350-L-15-15	M22X1.5	M22X1.5	15L	46	27	31	12	27	27	30	315
HT-350-L-18-18	M26X1.5	M26X1.5	18L	49	29	32,5	13,5	32	32	36	315
HT-350-L-22-22	M30X2	M30X2	22L	51	33	34,5	16,5	36	36	41	160
HT-350-L-28-28	M36X2	M36X2	28L	52	35	35,5	18,5	41	41	46	160
HT-350-L-35-35	M45X2	M45X2	35L	58	40	36,5	18,5	50	50	55	160
HT-350-L-42-42	M52X2	M52X2	42L	59	42	36	19	60	60	65	160
HT-350-S-6-6	M14X1.5	M14X1.5	6S	44	27	29	12	19	17	19	630
HT-350-S-8-8	M16X1.5	M16X1.5	8S	44	28	29	13	22	19	22	630
HT-350-S-10-10	M18X1.5	M18X1.5	10S	46	31	29,5	14,5	24	22	24	630
HT-350-S-12-12	M20X1.5	M20X1.5	12S	47	31	30,5	14,5	27	24	27	630
HT-350-S-16-16	M24X1.5	M24X1.5	16S	50	35	31,5	16,5	32	30	32	400
HT-350-S-20-20	M30X2	M30X2	20S	56	39	33,5	17,5	41	36	41	400
HT-350-S-25-25	M36X2	M36X2	25S	59	44	35	20	46	46	46	400
HT-350-S-30-30	M42X2	M42X2	30S	64	48	37,5	21,5	50	50	50	400
HT-350-S-38-38	M52X2	M52X2	38S	68	53	37	22	65	60	65	315



METRIC 24 TİP L/S

BORU BAĞLANTI PERDE GEÇİŞ DİRSEKLERİ

Bulkhead elbow / METRIC

HT-360 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm									
	ID NO	T 1	T 2	D 1	L 1	L 2	L 3	L 4	L 5	1	2	3
HT-360-L-6-6	M12X1.5	M12X1.5	6L	42	27	14	27	12	12	14	17	315
HT-360-L-8-8	M14X1.5	M14X1.5	8L	42	27	17	29	14	12	17	19	315
HT-360-L-10-10	M16X1.5	M16X1.5	10L	43	28	18	30	15	14	19	22	315
HT-360-L-12-12	M18X1.5	M18X1.5	12L	44	29	20	32	17	17	22	24	315
HT-360-L-15-15	M22X1.5	M22X1.5	15L	46	31	23	36	21	19	27	30	315
HT-360-L-18-18	M26X1.5	M26X1.5	18L	49	32,5	24	40	23,5	24	32	36	315
HT-360-L-22-22	M30X2	M30X2	22L	51	34,5	30	44	27,5	27	36	41	160
HT-360-L-28-28	M36X2	M36X2	28L	52	35,5	34	47	30,5	36	41	46	160
HT-360-L-35-35	M45X2	M45X2	35L	58	36,5	39	56	34,5	41	50	55	160
HT-360-L-42-42	M52X2	M52X2	42L	59	36	43	63	40	50	60	65	160
HT-360-S-6-6	M14X1.5	M14X1.5	6S	44	29	17	31	16	12	17	19	630
HT-360-S-8-8	M16X1.5	M16X1.5	8S	44	29	18	32	17	14	19	22	630
HT-360-S-10-10	M18X1.5	M18X1.5	10S	46	29,5	20	34	17,5	17	22	24	630
HT-360-S-12-12	M20X1.5	M20X1.5	12S	47	30,5	21	38	21,5	17	24	27	630
HT-360-S-16-16	M24X1.5	M24X1.5	16S	50	31,5	24	43	24,5	24	30	32	400
HT-360-S-20-20	M30X2	M30X2	20S	55	33,5	30	48	26,5	27	36	41	400
HT-360-S-25-25	M36X2	M36X2	25S	59	35	34	54	30	36	46	46	400
HT-360-S-30-30	M42X2	M42X2	30S	68	37,5	39	66	35,5	41	50	50	400
HT-360-S-38-38	M52X2	M52X2	38S	68	37	43	72	41	50	60	65	400



BSP

DIŐI DIRSEK

Female 90° adapter

HT- 370



KOD NO Part Number	DIŐI ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
	ID NO	G 1	G 2	L 1	L 2	1
HT-370-L-2-2	G1/8-28	G1/8-28	24	24	16	315
HT-370-L-4-4	G1/4-19	G1/4-19	25	25	16	315
HT-370-L-6-6	G3/8-19	G3/8-19	33	33	23	315
HT-370-L-8-8	G1/2-14	G1/2-14	39	39	27	315
HT-370-L-12-12	G3/4-14	G3/4-14	43	43	39	315
HT-370-L-16-16	G1"-11	G1"-11	50	50	41	315
HT-370-L-20-20	G1"1/4-11	G1"1/4-11	70	70	52	160
HT-370-L-24-24	G1"1/2-11	G1"1/2-11	84	84	56	160



BSP

KUYRUKLU DİRSEK

Female 90° adapter

HT- 375



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
	ID NO	G 1	G 2	L 1	L 2	1
HT-375-L-2-2	G1/8-28	G1/8-28	20	24	14	315
HT-375-L-4-4	G1/4-19	G1/4-19	28	25	16	315
HT-375-L-6-6	G3/8-19	G3/8-19	31	33	23	315
HT-375-L-8-8	G1/2-14	G1/2-14	37	39	27	315
HT-375-L-12-12	G3/4-14	G3/4-14	42	43	39	315
HT-375-L-16-16	G1"-11	G1"-11	50	50	41	315
HT-375-L-20-20	G1"1/4-11	G1"1/4-11	56	70	52	160
HT-375-L-24-24	G1"1/2-11	G1"1/2-11	59	84	56	160



BSP

DIŐI T RAKOR

Female equal adapter

HT- 380



KOD NO Part Number	DIŐI ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	G 1	L 1	L 2	1	PN BAR
HT-380-2	G1/8-28	24	24	16	350
HT-380-4	G1/4-19	25	25	16	350
HT-380-6	G3/8-19	33	33	23	350
HT-380-8	G1/2-14	39	39	27	350
HT-380-12	G3/4-14	43	43	36	350
HT-380-16	G1"-11	50	50	41	350
HT-380-20	G1"1/4-11	70	70	52	350
HT-380-24	G1"1/2-11	84	84	56	350



BSP

LÜLE REDÜKSİYON / BSP / BSP

Reduction thread adaptors

HT- 390 L



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm					
	ID NO	G 1	G 2	L 1	L 2	L 3	D 1	1
HT-390-L-2-4	G1/8-28	G1/4-19	31	8	17	14	17	630
HT-390-L-4-6	G1/4-19	G3/8-19	36	12	17	18	22	630
HT-390-L-6-4	G3/8-19	G1/4-19	36	12	17	22	22	630
HT-390-L-4-8	G1/4-19	G1/2-14	40	12	20	18	27	630
HT-390-L-4-12	G1/4-19	G3/4-14	43	12	22	18	36	630
HT-390-L-6-8	G3/8-19	G1/2-14	41	12	20	22	27	630
HT-390-L-6-12	G3/8-19	G1/4-19	44	12	22	22	36	630
HT-390-L-6-16	G1/2-14	G1"-11	49	14	24	26	41	630
HT-390-L-8-12	G1/2-14	G3/4-14	46	14	22	26	36	400
HT-390-L-8-16	G1/2-14	G1"-11	49	14	24	26	41	400
HT-390-L-8-20	G1/2-14	G1"1/4-11	53	14	26	26	55	400
HT-390-L-12-16	G3/4-14	G1"-11	55	16	24	32	41	400
HT-390-L-12-20	G3/4-14	G1"1/4-11	55	16	26	32	55	250
HT-390-L-12-24	G3/4-14	G1"1/2-11	57	16	28	32	60	250
HT-390-L-16-20	G1"-11	G1"1/4-11	7	18	26	39	55	250



BSP**REDÜKSİYON / BSP / BSP****Reduction thread adaptors****HT- 390 R**

KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	G 1	G 2	L 1	L 2	D 1	1	PN BAR
HT-390-R-4-2	G1/4-19	G1/8-28	22	12	19	19	400
HT-390-R-6-2	G3/8-19	G1/8-28	22	12	22	22	400
HT-390-R-6-4	G3/8-19	G1/4-19	22	12	22	22	400
HT-390-R-8-2	G1/2-14	G1/8-28	24	14	26	27	400
HT-390-R-8-4	G1/2-14	G1/4-19	24	14	26	27	400
HT-390-R-8-6	G1/2-14	G3/8-19	24	14	26	27	400
HT-390-R-12-4	G3/4-14	G1/4-19	26	16	32	32	315
HT-390-R-12-6	G3/4-14	G3/8-19	26	16	32	32	315
HT-390-R-12-8	G3/4-14	G1/2-14	26	16	32	32	315
HT-390-R-16-4	G1"-11	G1/4-19	29	18	39	41	315
HT-390-R-16-6	G1"-11	G3/8-19	29	18	39	41	315
HT-390-R-16-8	G1"-11	G3/4-14	32	20	39	41	315
HT-390-R-20-8	G1"1/4-11	G1/2-14	32	20	49	50	315
HT-390-R-20-12	G1"1/4-11	G3/4-14	32	28	49	50	315
HT-390-R-20-16	G1"1/4-11	G1"-11	32	20	49	50	315
HT-390-R-24-6	G1"1/2-11	G3/8-19	34	22	55	55	315
HT-390-R-24-8	G1"1/2-11	G1/2-14	36	22	55	55	250
HT-390-R-24-12	G1"1/2-11	G3/4-14	36	22	55	55	250
HT-390-R-24-16	G1"1/2-11	G1"-11	36	22	55	55	250
HT-390-R-24-20	G1"1/2-11	G1"1/4-11	36	22	55	55	250

**HİDROTEK**
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

METRİK 24 TİP L/S

KAYNAKLIK NİPEL

Welding boss METRIC

HT-400 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm						
ID NO	T 1	D 1	L 1	L 2	D 2	1	2	PN BAR
HT-400-L-6	M12X1.5	6L	29	14	10	12	14	315
HT-400-L-8	M14X1.5	8L	31	16	12	14	17	315
HT-400-L-10	M16X1.5	10L	33	18	14	17	19	315
HT-400-L-12	M18X1.5	12L	33	18	16	19	22	315
HT-400-L-15	M22X1.5	15L	37	22	19	22	27	315
HT-400-L-18	M26X1.5	18L	40	23,5	22	27	32	315
HT-400-L-22	M30X2	22L	45	28,5	27	32	36	160
HT-400-L-28	M36X2	28L	47	30,5	32	41	41	160
HT-400-L-35	M45X2	35L	54	32,5	40	46	50	160
HT-400-L-42	M52X2	42L	58	35	46	55	60	160
HT-400-S-6	M14X1.5	6S	34	19	11	14	17	630
HT-400-S-8	M16X1.5	8S	36	21	13	17	19	630
HT-400-S-10	M18X1.5	10S	39	22,5	15	19	22	630
HT-400-S-12	M20X1.5	12S	41	24,5	17	22	24	630
HT-400-S-16	M24X1.5	16S	45	26,5	21	27	30	630
HT-400-S-20	M30X2	20S	55	29,5	26	32	36	400
HT-400-S-25	M36X2	25S	56	32	31	41	46	400
HT-400-S-30	M42X2	30S	62	35,5	36	46	50	400
HT-400-S-38	M52X2	38S	69	38	44	55	60	400



METRİK 24 TİP L/S

KAYNAKLIK DİRSEK

Welding boss METRIC

HT-410 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm							
ID NO	T 1	D 1	L 1	L 2	L 3	D 2	1	2	PN BAR
HT-410-L-6-6	M12X1.5	6L	27	12	18,5	10	12	14	315
HT-410-L-8-8	M14X1.5	8L	29	14	21	12	12	17	315
HT-410-L-10-10	M16X1.5	10L	30	15	22	14	14	19	315
HT-410-L-12-12	M18X1.5	12L	32	17	24	16	17	22	315
HT-410-L-15-15	M22X1.5	15L	36	21	28	19	19	27	315
HT-410-L-18-18	M26X1.5	18L	40	23,5	30	22	24	32	315
HT-410-L-22-22	M30X2	22L	44	27,5	42	27	27	36	160
HT-410-L-28-28	M36X2	28L	47	30,5	48	32	36	41	160
HT-410-L-35-35	M45X2	35L	56	34,5	54	40	41	50	160
HT-410-L-42-42	M52X2	42L	63	40	61	46	50	60	160
HT-410-S-6-6	M14X1.5	6S	31	16	23	11	12	17	630
HT-410-S-8-8	M16X1.5	8S	32	17	22,5	13	14	19	630
HT-410-S-10-10	M18X1.5	10S	34	17,5	23,5	15	17	22	630
HT-410-S-12-12	M20X1.5	12S	38	21,5	23,5	17	17	24	630
HT-410-S-16-16	M24X1.5	16S	43	24,5	33	21	24	30	630
HT-410-S-20-20	M30X2	20S	48	26,5	42	26	27	36	400
HT-410-S-25-25	M36X2	25S	54	30	48	31	36	46	400
HT-410-S-30-30	M42X2	30S	62	35,5	54	36	41	50	400
HT-410-S-38-38	M52X2	38S	72	41	57	44	50	60	315



METRİK 24 TİP L/S

MANOMETRE BAĞLANTI RAKORLARI

Gauge coupling METRIC

HT-420 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm						
ID NO	G	T	D 1	L 1	L 2	L 3	1	2	PN BAR
HT-420-L-4-6	G1/4-19	M12X1.5	6L	38	14,5	4,5	19	14	315
HT-420-L-4-8	G1/4-19	M14X1.5	8L	38	14,5	4,5	19	17	315
HT-420-L-4-10	G1/4-19	M16X1.5	10L	39,5	14,5	4,5	19	19	315
HT-420-L-4-12	G1/4-19	M18X1.5	12L	40,5	14,5	4,5	19	22	315
HT-420-L-8-6	G1/2-14	M12X1.5	6L	45	20	5	27	14	315
HT-420-L-8-8	G1/2-14	M14X1.5	8L	45	20	5	27	17	315
HT-420-L-8-10	G1/2-14	M16X1.5	10L	45	20	5	27	22	315
HT-420-L-8-12	G1/2-14	M18X1.5	12L	47	20	5	27	22	315
HT-420-L-8-15	G1/2-14	M22X1.5	15L	47	20	5	27	24	315
HT-420-S-4-6	G1/4-19	M14X1.5	6S	45	20	5	27	17	630
HT-420-S-4-8	G1/4-19	M16X1.5	8S	45	20	5	27	19	630
HT-420-S-4-10	G1/4-19	M18X1.5	10S	47	20	5	27	22	630
HT-420-S-4-12	G1/4-19	M20X1.5	12S	47,5	20	5	27	24	630
HT-420-S-8-6	G1/2-14	M14X1.5	6S	45	20	5	27	17	630
HT-420-S-8-8	G1/2-14	M16X1.5	8S	45	20	5	27	19	630
HT-420-S-8-10	G1/2-14	M18X1.5	10S	47	20	5	27	22	630
HT-420-S-8-12	G1/2-14	M20X1.5	12S	47,5	20	5	27	24	630
HT-420-S-8-16	G1/2-14	M24X1.5	16S	47,5	20	5	27	30	630



BLOK ARA BAĞLANTI RAKORLARI

Adapters BSP / UNF

HT- 430



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	G	T	L 1	D 1	1	PN BAR
HT-430-2-4S	G1/8-28	7/16-20	30	4	14	350
HT-430-4-4S	G1/4-19	7/16-20	34	4	19	350
HT-430-4-5S	G1/4-19	1/2-20	34	6	19	350
HT-430-4-6S	G1/4-19	9/16-18	34	6	19	350
HT-430-4-7S	G1/4-19	5/8-18	35	6	22	350
HT-430-6-6S	G3/8-19	9/16-18	35	7,5	22	350
HT-430-6-7S	G3/8-19	5/8-18	36	7	22	350
HT-430-6-8S	G3/8-19	3/4-16	38	9	22	350
HT-430-8-6S	G1/2-14	9/16-18	38	7,5	27	350
HT-430-8-7S	G1/2-14	5/8-16	38	8	27	350
HT-430-8-8S	G1/2-14	3/4-16	43	9	27	350
HT-430-8-10S	G1/2-14	7/8-14	43	11,5	27	350
HT-430-8-12S	G1/2-14	1"1/16-12	49	12	27	350
HT-430-12-8S	G3/4-14	3/4-16	46	10	32	350
HT-430-12-10S	G3/4-14	7/8-14	48	12	32	350
HT-430-12-12S	G3/4-14	1"1/16-12	51	16	32	350
HT-430-12-16S	G3/4-14	1"5/16-12	53	18	36	280
HT-430-16-12S	G1"-11	1"1/16-12	54	16	41	280
HT-430-16-16S	G1"-11	1"5/16-12	55	21	41	280
HT-430-20-16S	G1"1/4-11	1"5/16-12	59	27	50	280
HT-430-20-20S	G1"1/4-11	1"5/8-12	60	27	50	210
HT-430-24-20S	G1"1/2-11	1"5/8-12	64	28	55	140
HT-430-24-24S	G1"1/2-11	1"7/8-12	67	32	55	140
HT-430-32-32S	G2"-11	2"1/2-12	79	44	70	105



NPT / JIC 37

BLOK ARA BAĞLANTI RAKORLARI

Adapters NPT / UNF

HT- 431



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	G	T	L 1	D 1	1	PN BAR
HT-431-2-4S	1/8-28	7/16-20	31	4	13	315
HT-431-4-4S	1/4-19	7/16-20	36	4	14	315
HT-431-4-5S	1/4-19	1/2-20	36	6	14	315
HT-431-4-6S	1/4-19	9/16-18	36	7,5	17	315
HT-431-4-7S	1/4-19	5/8-18	37	6	17	315
HT-431-4-8S	1/4-19	3/4-16	39	7	19	315
HT-431-6-5S	3/8-19	1/2-20	34	5	19	315
HT-431-6-6S	3/8-19	9/16-18	36	7,5	19	315
HT-431-6-7S	3/8-19	5/8-18	37	8	19	315
HT-431-6-8S	3/8-19	3/4-16	39	9,5	19	315
HT-431-8-6S	1/2-14	9/16-18	43	7	22	315
HT-431-8-7S	1/2-14	5/8-18	44	7	22	315
HT-431-8-8S	1/2-14	3/4-16	46	9,5	22	315
HT-431-8-10S	1/2-14	7/8-14	48	11,5	24	315
HT-431-12-8S	3/4-14	7/8-14	50	11,5	27	160
HT-431-12-12S	3/4-14	1"1/16-12	52	16	27	160
HT-431-16-12S	1"-11	1"1/16-12	57	16	36	160
HT-431-16-16S	1"-11	1"5/16-12	58	22	36	160
HT-431-20-20S	1"1/4-11	1"5/8-12	62	28	46	160
HT-431-24-24S	1"1/2-11	1"7/8-12	68	33	50	140
HT-431-32-32S	2"-11	2"1/2-12	79	45	67	105



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

JIC 37

HORTUM ARA BAĞLANTI NİPELİ

Adapters UNF / UNF

HT- 432



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	T 1	T 2	D 1	L 1	1	PN BAR
HT-432-4-4S	7/16-20	7/16-20	35	4	14	350
HT-432-5-5S	1/2-20	1/2-20	35	6	14	350
HT-432-6-6S	9/16-18	9/16-18	36	7,5	17	350
HT-432-7-7S	5/8-18	5/8-18	38	8	17	350
HT-432-8-8S	3/4-16	3/4-16	41	10	19	350
HT-432-10-10S	7/8-14	7/8-14	48	12	24	350
HT-432-12-12S	1"1/16-12	1"1/16-12	55	15	32	350
HT-432-16-16S	1"5/16-12	1"5/16-12	57	25	36	280
HT-432-20-20S	1"5/8-12	1"5/8-12	62	27,5	46	280
HT-432-24-24S	1"7/8-12	1"7/8-12	70	32	55	210
HT-432-32-32S	2"1/2-12	2"1/2-12	87	45	65	150



NPT / UNF JIC 37

DİŞLİ DİRSEK 90°

Adapters NPT / UNF

HT- 440



KOD NO Part Number	DİŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	G	T	L 1	L 2	1	PN BAR
HT-440-2-4	1/8-28	7/16-20	28	27	14	350
HT-440-4-4	1/4-19	7/16-20	27	28	14	350
HT-440-4-5	1/4-18	1/2-20	28	27	14	350
HT-440-4-6	1/4-18	9/16-18	28	27	14	350
HT-440-6-6	3/8-18	9/16-18	31	29	16	350
HT-440-6-7	3/8-18	5/8-18	31	29	16	350
HT-440-6-8	3/8-18	3/4-16	31	32	23	350
HT-440-8-6	1/2-14	9/16-18	37	31	23	350
HT-440-8-7	1/2-14	5/8-18	34	34	24	350
HT-440-8-8	1/2-14	3/4-16	34	34	23	350
HT-440-8-10	1/2-14	7/8-14	37	37	24	350
HT-440-8-12	1/2-14	1"1/16-12	41	40	27	350
HT-440-12-10	3/4-14	7/8-14	41	40	27	350
HT-440-12-12	3/4-14	1"1/16-12	41	40	27	280
HT-440-16-16	1"-11	1"5/16-12	50	46	36	280
HT-440-20-20	1"1/4-11	1"5/8-12	55	56	50	280



DİŐLİ DİRSEK

Male 45° Adapters NPT / UNF

HT- 441



KOD NO Part Number	DİŐ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	G	T	L 1	L 2	1	PN BAR
HT-441-2-4	1/8-19	7/16-20	18	16	11	350
HT-441-4-4	1/4-19	7/16-20	21	22	14	350
HT-441-4-5	1/4-19	1/2-20	21	22	14	350
HT-441-4-6	1/4-19	9/16-18	21	22	14	350
HT-441-6-6	3/8-18	9/16-18	21	22	19	350
HT-441-6-7	3/8-18	5/8-18	22	24	19	350
HT-441-6-8	3/8-18	3/4-16	25	24	19	350
HT-441-8-6	1/2-14	9/16-18	22	30	22	350
HT-441-8-7	1/2-14	5/8-18	22	30	22	350
HT-441-8-8	1/2-14	3/4-16	25	30	22	350
HT-441-8-10	1/2-14	7/8-14	28	30	22	350
HT-441-8-12	1/2-14	1"1/16-12	30	31	27	350
HT-441-12-10	3/4-14	7/8-14	33	31	27	280
HT-441-12-12	3/4-14	1"1/16-12	33	31	27	280
HT-441-16-16	1"-11	1"5/16-12	37	38	33	210
HT-441-20-20	1"1/4-11	1"5/8-12	40	42	41	170



BSP / UNF JIC 37

KONTRALI DİRSEK 90

90° revolving adapter with o-ring and washer

HT- 450



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	G	T	L 1	L 2	1	PN BAR
HT-450-4-4	G1/4-19	7/16-20	32	23	14	350
HT-450-4-5	G1/4-19	1/2-20	32	24	14	350
HT-450-4-6	G1/4-19	9/16-18	32	27	14	350
HT-450-6-6	G3/8-19	9/16-18	37	27	16	350
HT-450-6-8	G3/8-19	3/4-16	37	32	22	350
HT-450-8-8	G1/2-14	3/4-16	43	32	22	350
HT-450-8-10	G1/2-14	7/8-14	43	37	23	350
HT-450-12-12	G3/4-14	1" 1/16-12	49	42	27	280
HT-450-16-16	G1"-11	1" 5/16-12	52	46	36	280
HT-450-20-20	G1"1/4-11	1" 5/8-12	56	59	50	280



BSP / UNF JIC 37

KONTRALI DİRSEK 45

45° revolving adapter with o-ring and washer

HT- 451



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
	ID NO	G	T	L 1	L 2	1
HT-451-4-4	1/4-19	7/16-20	21	29	14	250
HT-451-4-5	1/4-19	1/2-20	21	27	14	250
HT-451-4-6	1/4-19	9/16-18	21	29	14	250
HT-451-6-6	3/8-19	9/16-18	22	33	19	250
HT-451-6-8	3/8-19	3/4-16	25	33	19	250
HT-451-8-8	1/2-14	3/4-16	25	39	22	250
HT-451-8-10	1/2-14	7/8-14	28	39	22	250
HT-451-16-16	1"-11	1" 5/16-12	37	47	36	250
HT-451-20-20	1"1/4-11	1" 5/8-12	40	48	41	210



BSP / BSP 60

BLOK ARA BAĞLANTI

Adapter BSP / BSP

HT- 460



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
	ID NO	T 1	T 2	D 1	L 1	1
HT-460-2-2	G1/8-28	G1/8-28	4	24	14	350
HT-460-4-4	G1/4-19	G1/4-19	6	32	19	350
HT-460-6-6	G3/8-19	G3/8-19	8,5	33	22	350
HT-460-8-8	G1/2-14	G1/2-14	11,5	39	27	200
HT-460-12-12	G3/4-14	G3/4-14	16	46	32	200
HT-460-16-16	G1"-11	G1"-11	21	51	41	120
HT-460-20-20	G1"1/4-11	G1"1/4-11	30	57	50	105
HT-460-24-24	G1"1/2-11	G1"1/2-11	32	62	55	105
HT-460-32-32	G2"-11	G2"-11	44	70	70	70
HT-460-40-40	G2"1/2-11	G2"1/2-11	54	87	80	70
HT-460-48-48	G3"-11	G3"-11	69	92	100	70



BSP 60 / BSP 60

HORTUM ARA BAĞLANTI NİPELLERİ

Adapter BSP / BSP

HT- 461



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	T 1	T 2	D 1	L 1	1	PN BAR
HT-461-2-2	G1/8-28	G1/8-28	4	24	14	350
HT-461-4-4	G1/4-19	G1/4-19	6	32	19	350
HT-461-6-6	G3/8-19	G3/8-19	8	33	22	350
HT-461-8-8	G1/2-14	G1/2-14	11	40	27	200
HT-461-12-12	G3/4-14	G3/4-14	16	46	32	200
HT-461-16-16	G1"-11	G1"-11	21	54	41	120
HT-461-20-20	G1"1/4-11	G1"1/4-11	27	60	50	105
HT-461-24-24	G1"1/2-11	G1"1/2-11	32	61	55	105
HT-461-32-32	G2"-11	G2"-11	44	70	65	70



BSP 60 / BSP 60

ORANTILI NİPELLER

Adapter BSP / BSP

HT- 462



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
	ID NO	G 1	G 2	D 1	D 2	L 1	1
HT-462-4-2	G1/4-19	G1/8-28	5	4	30	19	350
HT-462-6-4	G3/8-19	G1/4-19	8	5	33	22	350
HT-462-8-4	G1/2-14	G1/4-19	11	5	37	27	200
HT-462-8-6	G1/2-14	G3/8-19	11	8	39	27	200
HT-462-12-6	G3/4-14	G3/8-19	17	8	41	32	200
HT-462-12-8	G3/4-14	G1/2-14	17	11	41	32	200
HT-462-16-8	G1"-11	G1/2-14	21	11	49	41	120
HT-462-20-12	G1"1/4-11	G3/4-14	28	17	60	50	105
HT-462-20-16	G1"1/4-11	G1"-11	28	22	60	50	105
HT-462-24-16	G1"1/2-11	G1"-11	33	22	64	55	105
HT-462-24-20	G1"1/2-11	G1"1/4-11	33	29	65	55	105
HT-462-32-24	G2"-11	G1"1/2-11	46	33	73	70	70



NPT / BSP 60

ARA BAĞLANTI NİPELLER

Adapter NPT / BSP 60°

HT- 463



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	T 1	T 2	D 1	L 1	1	PN BAR
HT-463-2-2	G1/8-28	G1/8-28	4	26	14	350
HT-463-4-4	G1/4-18	G1/8-18	6	34	19	350
HT-463-6-6	G3/8-19	G3/8-19	8,5	35	22	350
HT-463-8-8	G1/2-14	G1/2-14	11,5	42	27	200
HT-463-12-12	G3/4-14	G3/4-14	16	41	32	200
HT-463-16-16	G1"11	G1"-11	21	55	41	120
HT-463-20-20	G1"1/4-11	G1"1/4-11	30	61	50	105
HT-463-20-24	G1"1/2-11	G1"1/2-11	32	64	55	105
HT-463-32-32	G2"-11	G2"-11	44	72	70	70



BSP / ORFS

ORFS NİPELLER

Adapter BSP / ORFS

HT- 465



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm					
	ID NO	T 1	T 2	D 1	D 2	L 1	1	O-RING
HT-465-4-6	G1/4-19	9/16-18	5	5	31	19	7.6X1.78	630
HT-465-4-10	G1/4-19	11/16-16	5	7	32	19	9.2X1.78	630
HT-465-6-6	G3/8-19	9/16-18	5	5	32	22	7.6X1.78	630
HT-465-6-10	G3/8-19	11/16-16	7	7	33	22	9.2X1.78	630
HT-465-6-12	G3/8-19	13/16-16	8	10	35	22	12.4X1.78	630
HT-465-8-10	G1/2-14	11/16-16	7	7	37	27	9.2X1.78	420
HT-465-8-12	G1/2-14	13/16-16	10	10	38	27	12.4X1.78	420
HT-465-8-16	G1/2-14	1"-14	13	13	41	27	15.6X1.78	420
HT-465-8-20	G1/2-14	1"3/16-12	12	16	49	32	18.7X1.78	420
HT-465-12-12	G3/4-14	1"3/16-12	10	10	42	32	12.4X1.78	420
HT-465-12-16	G3/4-14	1"-14	13	13	45	32	15.6X1.78	420
HT-465-12-20	G3/4-14	1"3/16-12	16	16	46	32	18.7X1.78	420
HT-465-12-25	G3/4-14	1"7/16-12	16	21	52	41	23.7X1.78	420
HT-465-16-20	G1"-11	1"3/16-12	16	16	49	41	18.7X1.78	420
HT-465-16-25	G1"-11	1"7/16-12	20	21	50	41	23.5X1.78	420
HT-465-16-32	G1"-11	1"11/16-12	20	26	57	46	33X1.78	420
HT-465-20-25	G1"1/4-11	1"7/16-12	21	21	54	50	23.5X1.78	420
HT-465-20-32	G1"1/4-11	1"11/16-12	25	25	54	50	33X1.78	420



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

BSP / ORFS

BSP - ORFS TERS NİPELLER

Adapter BSP / ORFS

HT- 466



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	SOMUN Nut	BOYUT ÖLÇÜLERİ MM Dimensions in mm
ID NO	T	T 1	1
HT-466-4-6	1/4"-19	9/16"-18	19
HT-466-4-10	1/4"-19	11/16"-16	22
HT-466-6-10	3/8"-19	11/16"-16	22
HT-466-6-12	3/8"-11	13/16"-16	27
HT-466-8-12	1/2"-11	13/16"-16	27
HT-466-8-16	1/2"-11	1"-14	30
HT-466-12-20	3/4"-14	1"3/16-12	36
HT-466-12-25	3/4"-14	1"7/16-12	46
HT-466-16-25	1"-11	1"7/16-12	46
HT-466-20-32	1"1/4-11	1"11/16-12	50



UNF JIC 37

UNF - DİRSEK

Male 90° adapters

HT- 470



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	T 1	T 2	L 1	L 2	1	PN BAR
HT-470-4-4	7/16-20	7/16-20	23	23	14	350
HT-470-5-5	1/2-20	1/2-20	24	24	14	350
HT-470-6-6	9/16-18	9/16-18	27	27	16	350
HT-470-7-7	5/8-18	5/8-18	27	27	16	350
HT-470-8-8	3/4-16	3/4-16	32	32	23	350
HT-470-10-10	7/8-14	7/8-14	37	37	24	350
HT-470-12-12	1"1/16-12	1"1/16-12	42	42	27	350
HT-470-16-16	1"5/16-12	1"5/16-12	46	46	36	280
HT-470-20-20	1"5/8-12	1"5/8-12	56	56	41	210
HT-470-22-22	1"7/8-12	1"7/8-12	59	59	50	210



UNF - JIC 37

UNF DİRSEK 45

Male 45° adapters UNF / UNF

HT- 471



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	T 1	T 2	L 1	L 2	1	PN BAR
HT-471-4-4	7/16-20	7/16-20	23	23	14	350
HT-471-5-5	1/2-20	1/2-20	24	24	14	350
HT-471-6-6	9/16-18	9/16-18	27	27	16	350
HT-471-7-7	5/8-18	5/8-18	27	27	16	350
HT-471-8-8	3/4-16	3/4-16	32	32	23	350
HT-471-10-10	7/8-14	7/8-14	37	37	24	350
HT-471-12-12	1"1/16-12	1"1/16-12	42	42	27	350
HT-471-16-16	1"5/16-12	1"5/16-12	46	46	36	280
HT-471-20-20	1"5/8-12	1"5/8-12	56	56	41	210
HT-471-22-22	1"7/8-12	1"7/8-12	59	59	50	210



UNF JIC 37

UNF - T RAKOR

Equal tee adapters

HT- 480



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	T	L 1	L 2	1	PN BAR
HT-480-4	7/16-20	23	23	12	350
HT-480-5	1/2-20	24	24	14	350
HT-480-6	9/16-18	27	27	17	350
HT-480-7	5/8-18	27	27	17	350
HT-480-8	3/4-16	32	32	24	350
HT-480-10	7/8-14	37	37	24	280
HT-480-12	1"1/16-12	42	42	27	280
HT-480-16	1"5/16-12	46	46	36	280
HT-480-20	1"5/8-12	56	56	41	210
HT-480-22	1"7/8-12	59	59	50	210



UNF JIC 37

UNF - TERS DİRSEK

90° Adapter with swivel nut

HT- 490



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
	ID NO	T 1	T 2	L 2	L 1	1	2
HT-490-4-4	7/16-20	7/16-20	26	23	14	14	350
HT-490-5-5	1/2-20	1/2-20	28	24	17	14	350
HT-490-6-6	9/16-18	9/16-18	31	27	19	16	350
HT-490-7-7	5/8-18	5/8-18	33	27	22	16	350
HT-490-8-8	3/4-16	3/4-16	36	32	24	23	350
HT-490-10-10	7/8-14	7/8-14	42	37	27	23	350
HT-490-12-12	1"1/16-12	1"1/16-12	46	42	32	27	350
HT-490-16-16	1"5/16-12	1"5/16-12	52	46	41	35	250
HT-490-20-20	1"5/8-12	1"5/8-12	59	56	50	41	210



UNF JIC 37

UNF - TERS DİRSEK 45

45° Adapter with swivel nut

HT- 491



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	T 1	T 2	L 1	L 2	1	2	PN BAR
HT-491-4-4	7/16-20	7/16-20	18	23	14	14	350
HT-491-5-5	1/2-20	1/2-20	25	20	14	16	350
HT-491-6-6	9/16-18	9/16-18	28	21	14	19	350
HT-491-7-7	5/8-18	5/8-18	33	25	19	22	350
HT-491-8-8	3/4-16	3/4-16	33	25	19	22	350
HT-491-10-10	7/8-14	7/8-14	37	28	22	27	350
HT-491-12-12	1"1/16-12	1"1/16-12	38	33	27	32	350
HT-491-16-16	1"5/16-12	1"5/16-12	44	37	33	38	250
HT-491-20-20	1"5/8-12	1"5/8-12	52	40	51	41	210



UNF JIC 37

UNF - YAN BACAĞI T

Barrel tee adapter with swivel nut

HT- 500



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	T	L 1	L 2	1	2	PN BAR
HT-500-4	7/16-20	23	26	14	14	350
HT-500-5	1/2-20	24	28	14	17	350
HT-500-6	9/16-18	27	31	17	19	350
HT-500-7	5/8-18	27	31	17	22	350
HT-500-8	3/4-16	32	36	24	24	350
HT-500-10	7/8-14	37	42	24	27	350
HT-500-12	1"1/16-12	42	46	27	32	350
HT-500-16	1"5/16-12	46	52	36	41	280
HT-500-20	1"5/8-12	56	59	41	50	210



UNF JIC 37

UNF - ORTA BACAĞI T

Branche tee adapter with swivel nut

HT-510



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	T	L 1	L 2	1	2	PN BAR
HT-510-4	7/16-20	26	23	14	14	350
HT-510-5	1/2-20	28	24	14	17	350
HT-510-6	9/16-18	31	31	17	19	350
HT-510-7	5/8-18	31	27	17	22	350
HT-510-8	3/4-16	36	32	24	24	350
HT-510-10	7/8-14	42	37	24	27	350
HT-510-12	1"1/16-12	46	42	27	32	350
HT-510-16	1"5/16-12	55	46	36	41	280
HT-510-20	1"5/8-12	59	46	41	50	210



UNF JIC 37

UNF KONTRALI DİRSEK

90° adapter with swivel nut UNF / UNF

HT- 520



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	T 1	T 2	L 1	L 2	1	PN BAR
HT-520-4-4	7/16-20	7/16-20	23	26	14	350
HT-520-5-5	1/2-20	1/2-20	23	28	14	350
HT-520-6-6	9/16-18	9/16-18	37	32	16	350
HT-520-8-8	3/4-16	3/4-16	32	37	23	350
HT-520-10-10	7/8-14	7/8-14	37	43	24	350
HT-520-12-12	1"1/16-12	1"1/16-12	42	49	27	350
HT-520-16-16	1"5/16-12	1"5/16-12	46	52	36	280
HT-520-20-20	1"5/8-12	1"5/8-12	65	59	41	210



BSP / 60 / BSP

BSP TERS RAKOR

Straight adapter with swivel nut

HT- 530



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	G 1	G 2	L 1	1	2	PN BAR
HT-530-2-2	G1/8-28	G1/8-28	33	14	14	350
HT-530-4-4	G1/4-19	G1/4-19	28	19	19	350
HT-530-6-6	G3/8-19	G3/8-19	29	22	22	350
HT-530-8-8	G1/2-14	G1/2-14	38	27	27	350
HT-530-12-12	G3/4-14	G3/4-14	42	32	32	350
HT-530-16-16	G1"-11	G1"-11	51	41	41	350
HT-530-20-20	G1"1/4-11	G1"1/4-11	51	50	50	120
HT-530-24-24	G1"1/2-11	G1"1/2-11	51	55	55	120
HT-530-32-32	G2"-11	G2"-11	63	65	70	120



BSP / UNF

BSP - UNF TERS RAKOR

Straight adapter with swivel nut

HT- 531



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	G 1	G 2	L 1	1	2	PN BAR
HT-531-4-6	G1/4-14	9/16-18	30	19	19	350
HT-531-6-6	G3/8-19	9/16-18	31	19	22	350
HT-531-6-7	G3/8-19	5/8-18	31,5	22	22	350
HT-531-6-8	G3/8-19	3/4-16	32	24	22	350
HT-531-8-8	G1/2-14	3/4-16	35	24	27	350
HT-531-8-10	G1/2-14	7/8-14	36	27	27	350
HT-531-12-12	G3/4-14	1"1/16-12	40	32	32	350
HT-531-12-16	G3/4-14	1"5/16-12	42	41	32	350
HT-531-16-16	G1"-11	1"5/16-12	47	41	41	350
HT-531-20-20	G1"1/4-11	1"5/8-12	52	50	50	120
HT-531-24-24	G1"1/2-11	1"7/8-12	54	55	55	120



NPT / BSP 60

TERS DİRSEK

Elbow with swivel nut

HT- 540



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	G 1	G 2	L 1	L 2	1	2	PN BAR
HT-540-2	G1/8-28	G1/8-28	18	24	14	14	350
HT-540-4	G1/4-18	G1/4-19	19	30	14	19	350
HT-540-6	G3/8-18	G3/8-19	24	38	16	22	350
HT-540-8	G1/2-14	G1/2-14	25	46	23	27	350
HT-540-12	G3/4-14	G3/4-14	30	51	27	32	200
HT-540-16	G1"-11	G1"-11	37	60	36	41	200
HT-540-20	G1"1/4-11	G1"1/4-11	41	67	41	50	105
HT-540-24	G1"1/2-11	G1"1/2-11	44	71	52	55	105



NPT / BSP 60

DİŐLİ DİRSEK

Male equal adapter

HT- 550



KOD NO Part Number	DİŐ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	G 1	G 2	L 1	L 2	1	PN BAR
HT-550-2-2	G1/8-28	G1/8-28	17	19	14	350
HT-550-4-4	G1/4-19	G1/4-19	25	27	14	350
HT-550-6-6	G3/8-19	G3/8-19	27	29	16	350
HT-550-8-8	G1/2-14	G1/2-14	34	36	23	200
HT-550-12-12	G3/4-14	G3/4-14	37	39	27	200
HT-550-16-16	G1"-11	G1"-11	50	52	36	120
HT-550-20-20	G1"1/4-11	G1"1/4-11	58	60	41	105
HT-550-24-24	G1"1/2-11	G1"1/2-11	65	67	52	105



BSP 60

BSP - T RAKOR

Male 60° adapter

HT- 570



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	G	L 1	L 2	1	PN BAR
HT-570-2	G1/8-28	25	25	14	350
HT-570-4	G1/4-19	27	27	14	350
HT-570-6	G3/8-19	31	31	16	350
HT-570-8	G1/2-14	38	38	23	350
HT-570-12	G3/4-14	42	42	27	200
HT-570-16	G1"-11	50	50	36	200
HT-570-20	G1"1/4-11	54	54	48	120
HT-570-24	G1"1/2-11	70	70	65	105



BSP - BSP

BSP - KONTRALI DİRSEK

Adapter with swivel nut BSP / BSP

HT- 571



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	T	L 1	L 2	D	1	PN BAR
HT-571-2	1/8-28	17	27	4	11	420
HT-571-4	1/4-19	24	32	5	14	420
HT-571-6	3/8-19	27	37	8	19	420
HT-571-8	1/2-14	32	43	11	22	420
HT-571-12	3/4-14	36	50	17	27	420
HT-571-16	1"-11	42	52	22	33	420
HT-571-20	1"1/4-11	48	57	29	41	280
HT-571-24	1"1/2-11	54	61	33	48	280
HT-571-24	2"-11					



ORFS

ORFS - DİRSEK

Male adapter

HT- 573



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	T	L	1	D	PN BAR
HT-573-6	9/16-18	22	14	5	630
HT-573-10	11/16-16	25	19	7	630
HT-573-12	13/16-16	28	19	10	630
HT-573-16	1"-14	33	27	13	420
HT-573-20	1"3/16-12	37	30	16	420
HT-573-25	1"7/16-12	42	37	21	420
HT-573-32	1"11/16-12	45	41	26	280



ORFS

ORFS - T RAKOR

Equal tee adapter ORFS

HT- 574



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	T	L	1	D	PN BAR
HT-574-6	9/16-18	22	14	5	630
HT-574-10	11/16-16	25	19	7	630
HT-574-12	13/16-16	28	19	10	630
HT-574-16	1"-14	33	27	13	420
HT-574-20	1"3/16-12	37	30	16	420
HT-574-25	1"7/16-12	42	37	21	420
HT-574-32	1"11/16-12	45	41	26	280



ORFS

ORFS - TERS RAKOR

Adapter with swivel nut ORFS

HT- 575



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	T	L 1	L 2	D	1	PN BAR
HT-575-6	9/16-18	26	22	5	14	420
HT-575-10	11/16-16	29	25	7	19	420
HT-575-12	13/16-16	38	28	10	19	420
HT-575-16	1"-14	41	33	13	27	420
HT-575-20	1"3/16-12	46	37	16	30	420
HT-575-25	1"7/16-12	53	42	21	37	420
HT-575-32	1"11/16-12	58	45	26	41	280



ORFS

ORFS - ORTA BACAĞI T

Barrel tee adapter with swivel nut

HT- 576



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	T	L 1	L 2	D	1	PN BAR
HT-576-6	9/16-18	22	26	5	14	420
HT-576-10	11/16-16	25	29	7	19	420
HT-576-12	13/16-16	28	38	10	19	420
HT-576-16	1"-14	33	41	13	27	420
HT-576-20	1"3/16-12	37	46	16	30	420
HT-576-25	1"7/16-12	42	53	21	37	420
HT-576-32	1"11/16-12	45	58	26	41	280



ORFS

ORFS - YAN BACAĞI T

Barrel tee adapter with swivel nut

HT-577



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm				
ID NO	T	L 1	L 2	D	1	PN BAR
HT-577-6	9/16-18	22	26	5	14	420
HT-577-10	11/16-16	25	29	7	19	420
HT-577-12	13/16-16	28	38	10	19	420
HT-577-16	1"-14	33	41	13	27	420
HT-577-20	1"3/16-12	37	46	16	30	420
HT-577-25	1"7/16-12	42	53	21	37	420
HT-577-32	1"11/16-12	45	58	26	41	280



BSP - ORFS

BSP - ORFS KONTRALI DİRSEK

Straight adapter with swivel nut BSP / ORFS

HT- 578



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm				
	ID NO	G	T	L 1	L 2	D	1
HT-578-4-6	1/4-19	9/16-18	24	26	5	19	200
HT-578-6-4	3/8-19	9/16-18	25	38	5	19	200
HT-578-4-10	1/4-19	11/16-16	25	36	7	19	200
HT-578-6-10	3/8-19	11/16-16	27	38	7	19	200
HT-578-8-10	1/2-14	11/16-16	29	49	7	27	200
HT-578-6-12	3/8-19	13/16-16	28	38	10	19	200
HT-578-4-12	1/4-19	13/16-16	28	36	10	19	200
HT-578-8-12	1/2-14	13/16-16	31	49	10	27	200
HT-578-8-20	3/4-14	13/16-16	34	52	10	30	200
HT-578-12-16	3/4-14	1"-14	36	52	13	30	200
HT-578-12-12	3/4-14	1"3/16-12	37	52	16	30	200
HT-578-16-20	1"-11	1"3/16-12	41	58	16	36	200
HT-578-16-25	1"-11	1"7/16-12	42	58	21	42	200
HT-578-24-32	1"1/2-11	1"11/16-12	49	65	26	50	200



TİP L/S

YÜKSÜK

Ring

HT-580 L/S



KOD NO Part Number	BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	D 1	L 1	PN BAR
HT-580-L-6	6L	9,5	315
HT-580-L-8	8L	9,5	315
HT-580-L-10	10L	10	315
HT-580-L-12	12L	10	315
HT-580-L-15	15L	10	315
HT-580-L-18	18L	10	315
HT-580-L-22	22L	10,5	315
HT-580-L-28	28L	10,5	160
HT-580-L-35	35L	13,5	160
HT-580-L-42	42L	13,5	160
HT-580-S-6	6S	9,5	630
HT-580-S-8	8S	9,5	630
HT-580-S-10	10S	10	630
HT-580-S-12	12S	10	630
HT-580-S-16	16S	10,5	630
HT-580-S-20	20S	12,5	630
HT-580-S-25	25S	12,5	400
HT-580-S-30	30S	13	400




METRİK 24 TİP L/S

METRİK SOMUNLAR

Tightening nut METRIC

HT-590 L/S



KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread		BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	T	D 1	L 1	1	PN BAR
HT-590-6L	M12X1.5	6L	15	14	315
HT-590-8L	M14X1.5	8L	15	17	315
HT-590-10L	M16X1.5	10L	16	19	315
HT-590-12L	M18X1.5	12L	16	22	315
HT-590-15L	M22X1.5	15L	18	27	315
HT-590-18L	M26X1.5	18L	19	32	315
HT-590-22L	M30X2	22L	20	36	160
HT-590-28L	M36X2	28L	22	41	160
HT-590-35L	M45X2	35L	24	50	160
HT-590-42L	M52X2	42L	25	60	160
HT-590-6S	M14X1.5	6S	15	17	630
HT-590-8S	M16X1.5	8S	17	19	630
HT-590-10S	M18X1.5	10S	17	22	630
HT-590-12S	M20X1.5	12S	19	24	630
HT-590-16S	M24X1.5	16S	21	30	400
HT-590-20S	M30X2	20S	25	36	400
HT-590-25S	M36X2	25S	28	46	400
HT-590-30S	M42X2	30S	30	50	400
HT-590-38S	M52X2	38S	33	60	400



METRİK 24 TİP L/S

O-RİNGLİ KUYRUKLU YÜKSÜK

Weld nipples

HT-595 L/S



KOD NO Part Number	BORU ÇAPI Tube		BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	DN	D 1	L	O-RING	PN BAR
HT-595-L6	6L	6	31	4X1.5	315
HT-595-L8	8L	8	31	6X1.5	315
HT-595-L10	10L	10	32	7.5X1.5	315
HT-595-L12	12L	12	32	9X1.5	315
HT-595-L15	15L	15	34	12X1.5	315
HT-595-L18	18L	18	35,5	15X1.5	315
HT-595-L22	22L	22	38	18X1.5	160
HT-595-L28	28L	28	41	25X1.5	160
HT-595-L35	35L	35	47	30X2.5	160
HT-595-L42	42L	42	47	33X2.5	160
HT-595-S8	8S	8	31	6X1.5	630
HT-595-S10	10S	10	32	7.5X1.5	630
HT-595-S12	12S	12	38	9X1.5	630
HT-595-S16	16S	16	39	12X2	400
HT-595-S20	20S	20	45	16X2.5	400
HT-595-S25	25S	25	49	20X2.5	400
HT-595-S30	30S	30	52	25X2.5	315
HT-595-S38	38S	38	56	33X2.5	315



HİDROTEK
teknik

Hidrolik Rakor İmalat İth. ve Dahili Tic. Ltd. Şti.

www.hidrotekteknik.com.tr
info@hidrotekteknik.com.tr

METRİK 24 TİP L/S

O-RİNGLİ KAPAK KÖRTAPA

Blaking plug to fit cones

HT-596 L/S



KOD NO Part Number	BORU ÇAPI Tube	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	DN	D 1	L	O-RING	PN BAR
HT-596-L6	6L	6	18,5	4X1.5	315
HT-596-L8	8L	8	18,5	6X1.5	315
HT-596-L10	10L	10	20	7.5X1.5	315
HT-596-L12	12L	12	20,5	9X1.5	315
HT-596-L15	15L	15	21	12X1.5	315
HT-596-L18	18L	18	22	15X1.5	315
HT-596-L22	22L	22	24	18X1.5	160
HT-596-L28	28L	28	26	25X1.5	160
HT-596-L35	35L	35	30	30X2.5	160
HT-596-L42	42L	42	30	33X2.5	160
HT-596-S8	8S	8	21	6X1.5	630
HT-596-S10	10S	10	22	7.5X1.5	630
HT-596-S12	12S	12	22	9X1.5	630
HT-596-S16	16S	16	25	12X2	400
HT-596-S20	20S	20	29	16X2.5	400
HT-596-S25	25S	25	34	20X2.5	400
HT-596-S30	30S	30	35	25X2.5	400
HT-596-S38	38S	38	37	33X2.5	315



BSP

TAPALAR

Adapter BSP

HT- 600



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	G 1	L 1	1	
HT-600-2	1/8-28	13	14	
HT-600-4	1/4-19	18	19	
HT-600-6	3/8-19	20	22	
HT-600-8	1/2-14	26	27	
HT-600-12	3/4-14	30	32	
HT-600-16	1"-11	35	41	
HT-600-20	1"1/4-11	38	50	
HT-600-24	1"1/2-11	42	55	



BSP

TAPALAR

Adapter BSP

HT- 601



KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm			
ID NO	G	L 1	L 1	1	D 1
HT-601-2	1/8-28	12	8	5	14
HT-601-4	1/4-19	17	12	6	18,5
HT-601-6	3/8-19	17	12	8	22
HT-601-8	1/2-14	19	14	10	26,5
HT-601-12	3/4-14	21	16	12	32
HT-601-16	1"-11	22,5	16	17	39,9
HT-601-20	1"1/4-11	22,5	16	22	49,9
HT-601-24	1"1/2-11	22,5	16	24	55



METRİK

TAPALAR

Adapter Metric

HT- 602

KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm	
ID NO	T	D 1	1
HT-602-20	M30X2	20	32
HT-602-25	M36X2	25	36
HT-602-30	M42X2	30	46
HT-602-35	M45X2	35	46
HT-602-38	M52X2	38	55

METRİK HAVŞALI
ERKEK TAPA



HT- 603

KOD NO Part Number	DIŞ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	T	D 1	1	L 1
HT-603-8	M14X1,5	19	17	6
HT-603-10	M16X1,5	22	17	8
HT-603-12	M18X1,5	24	17	8
HT-603-14	M20X1,5	26	19	10
HT-603-15	M22X1,5	27	19	10

METRİK ALYAN BAŞLI
ERKEK TAPA



TAPALAR

Adapter

HT- 604

KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm	
ID NO	T	L	1
HT-604-6	9/16"-18	17	17
HT-604-10	11/16"-16	19	19
HT-604-12	13/16"-16	26	27
HT-604-16	1"-14	26	27
HT-604-20	1"3/16-12	27	32
HT-604-25	1"7/16-12	28	41
HT-604-32	1"11/16-12	29	46
HT-604-40	2"-12	34	55

ERKEK TAPA

HT- 605

KOD NO Part Number	DIŐ ÖLÇÜLERİ Thread	BOYUT ÖLÇÜLERİ MM Dimensions in mm	
ID NO	T	1	
HT-605-6	9/16"-18	19	
HT-605-10	11/16"-16	22	
HT-605-12	13/16"-16	27	
HT-605-16	1"-14	30	
HT-605-20	1"3/16-12	36	
HT-605-25	1"7/16-12	46	
HT-605-32	1"11/16-12	50	
HT-605-40	2"-12	60	

SOMUNLU TAPA

BSP

MANŞON

Female thread coupling

HT- 610



KOD NO Part Number	BORU ÇAPI Tube	BOYUT ÖLÇÜLERİ MM Dimensions in mm		
ID NO	G	L 1	1	PN BAR
HT-610-2	G1/8-28	19	14	420
HT-610-4	G1/4-19	28	19	420
HT-610-6	G3/8-19	28	22	420
HT-610-8	G1/2-14	33	27	350
HT-610-12	G3/4-14	37	32	280
HT-610-16	G1"-11	28	41	210
HT-610-20	G1"1/4-11	44	50	210
HT-610-24	G1"1/2-11	48	55	210
HT-610-32	G2"-11	53	70	210

